APPENDIX H ECOLOGICAL MONITORING RESULTS

Post-transplantation monitoring records for transplanted flora species (April 2023)

Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works Report

INSPECTION DATE: 29 APRIL 2023 REPORT DATE: 01 MAY 2023

PREPARED BY: Lau Siu Yeung, Andy (UKAA PR5206)

Version: 00

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

					Audit R	lef. No	
Contra	netSS K509						
Inspect	ed By Lau Siu Yeung (Andy)	Inspection Dat Time Period	e _		<u>/2023</u> to 13:	00	
Part A Condit Tempe Humid Wind	rature 29.7_°C	Low	(RH<50%	Gtorm	Hazy		
Part B		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
1. 1.1	<u>Cvcadfern Brainea insignis</u> Are the plants' health conditions satisfactory?		\checkmark				
1.2	Are transplanted plants on site protected carefully?		\triangleleft				
1.3 1.4	Are the temporary protective fence properly erected and maintained? Are the plant protection zone set 1m from the plants?						
1.4	Are all grassed and planted area kept free from weeds/unwanted plants?						
1.6	Is compaction of the soil avoided for the plants?		\checkmark				
1.7	Are litter/ unwanted material removed within the planting area?		\checkmark				
1.8	Are equipment or stockpile placed outside the protection zone?		\square				
1.9	Are soil, debris or construction materials deposited around and against trunk of a plant as this causes bark damage avoided?	the	\checkmark				
1.10	Are fixings driven into plants avoided?		\checkmark				
1.11	Are the plants used for anchoring or winching purposes or for the displasing avoided?	ay of	\checkmark				
1.12	Are the fire lit below the branches and petrol, oil or caustic substances near the plants avoided?	stored	\checkmark				
1.13	Are all plants kept free from pest, disease or fungal infection?		\checkmark				
1.14	Are there enough area for growth and development of plant roots?		\square				
	Is exposure of plant roots avoided?		\triangleleft				
1.15b	If not, were broken off or rotting of roots avoided?		\square				
2.	Ladies Tresses Spiranthes sinensis	N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.1	Are the plants' health conditions satisfactory?		\checkmark				
2.2	Are transplanted plants on site protected carefully?		\checkmark				
2.3	Are the temporary protective fence properly erected and maintained?		\square				
2.4	Are the plant protection zone set 1m from the plants?		Ŋ				
2.5	Are all grassed and planted area kept free from weeds/unwanted plants?						
2.6	Is compaction of the soil avoided for the plants?		\square				
2.7	Are litter/ unwanted material removed within the planting area?		\checkmark				

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the protection zone?		$\overline{\mathbf{A}}$				
2.9	Are soil, debris or construction materials deposited around and against	the					
2.9	trunk of a plant as this causes bark damage avoided?						
2.10	Are fixings driven into plants avoided?		\checkmark				
2.11	Are the plants used for anchoring or winching purposes or for the disp signs avoided?	ay of	\checkmark				
2.12	Are the fire lit below the branches and petrol, oil or caustic substances near the plants avoided?	stored	\checkmark				
2.13	Are all plants kept free from pest, disease or fungal infection?		\checkmark				
2.14	Are there enough area for growth and development of plant roots?		\checkmark				
2.15a	Is exposure of plant roots avoided?		\checkmark				
2.15b	If not, were broken off or rotting of roots avoided?		\checkmark				
$\overline{}$		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
3 .1	Incense Trees Aquilaria sinesis Are the trees's health conditions satisfactory?						
3.2	Are transplanted trees on site protected carefully?						
3.3	Are the temporary protective fence properly erected and maintained?						
3.4	Are the tree protection zone set 1m from the trees?						
3.5	Are all grassed and planted area kept free from weeds/unwanted plants						
3.6	Is compaction of the soil avoided for the trees						
3.7	Are litter/ unwanted material removed within the planting area?						
3.8	Are equipment or stockpile placed outside the protection zone?						
3.9	Are soil, debris or construction materials deposited around and against trunk of a tree as this causes bark damage avoided?	the					
3.10	Are fixings driven into trees avoided?						
3.11	Are the trees used for anchoring or winching purposes or for the displa signs avoided?	y of					
3.12	Are the fire lit below the branches and petrol, oil or caustic substances near the trees avoided?	stored					
3.13	Are all trees kept free from pest, disease or fungal infection?						
3.14	Are there enough area for growth and development of tree roots?						
3.15a	Is exposure of tree roots avoided?						
3.15b	If not, were broken off or rotting of roots avoided?				\square		
3.16	Are wounds/mechanical injuries avoided on tree trunk?						
3.17	Are leaning of trees avoided?						<u> </u>
3.18	Are dead/detached branches avoided?						\sum
3.19	Are decay/cavity avoided on tree trunks?						\longrightarrow

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

Part C	Follow-up for the Previous Si	te Audit on Date:	(Ref. No)				
			N/A or not observed	Yes	No	Follow-up	N/C	Remarks
1.	Is the situation in item	improved/rectified?						
2.	Is the situation in item	improved/rectified?						
3.	Is the situation in item	improved/rectified?						
4.	Is the situation in item	improved/rectified?						
5.	Is the situation in item	improved/rectified?						
6.	Is the situation in item	improved/rectified?						
7.	Is the situation in item	improved/rectified?						
8.	Is the situation in item	improved/rectified?						
9.	Is the situation in item	improved/rectified?						
10.	Is the situation in item	improved/rectified?						

Remarks/Observations

The health condition of the plants were generally improved with the growing season and high humidity climate condition at the planting area. The fog in the morning would increase the soil moisture significantly and improve the plant health.

5
ś
1

Supervisor's Rep.

(Name: (Date:

Inspection Date:

29/4/2023

Tree/Plant/ Colony No.	Number of Individuals	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
~ ~ ~ ~ ~	04	Brainea insignis	F	F	Young leaves observed
C-0001	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	P	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	02	-	F	P	Young leaves observed
		Brainea insignis		P P	
C-0002	04	Brainea insignis	F		Young leaves observed
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
C-0003	01	Brainea insignis	F	F	Young leaves observed
		_			Young leaves at base; Dry ou
	0.1		Р		caused by bushfire initially
	01	Brainea insignis		Р	outside site boundary and hig
					temperature on 2 Feb 2021
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	-
	04	Brainea insignis	F	F	
	05	-	F	F	
		Brainea insignis	F	F	-
	06	Brainea insignis			-
	07	Brainea insignis	F	F	-
	08	Brainea insignis Brainea insignis	F P	P P	Young leaves at base
					Dry out caused by bushfire
					initially outside site boundar
					and high
					temperature on 2 Feb 2021
	10	Brainea insignis	F	Р	Young leaves at base
	11	Brainea insignis	F	Р	Young leaves observed
	12	Brainea insignis	F	Р	Young leaves observed
C-0004		8			Stem not found
C-0004		Brainea insignis	-	-	Dry out caused by bushfire
	13				initially outside site boundar
	10				and high temperature on 2 Fe
					2021
	14	Brainea insignis	F	F	Young leaves observed
	17	Drainea insignis	1	1	Young leaves at base; Dry or
			Р	Р	caused by bushfire initially
	15	Brainea insignis			outside site boundary and his
					temperature on 2 Feb 2021
			Р	Р	Dry out caused by bushfire
	16 Bra	Brainea insignis			initially
					outside site boundary and hig
			-	-	temperature on 2 Feb 2021
	17	Brainea insignis	Р	Р	Young leaves observed
				-	Burned by bushfire initially
	18 E	Brainea insignis	-		outside the site boundary on
					Feb 2021.
	19	Brainea insignis	F	Р	-
	20	Brainea insignis	F	F	-

Inspection Date:

29/4/2023

Tree/Plant/	Number of	Species Name	Form	Health	Remark
Colony No.	Individuals	Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	Kennark
	01	Brainea insignis	F	F	-
	02	Brainea insignis	F	F	-
	03	Brainea insignis	F	F	Young leaves observed
C-0005	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	Р	Young leaves at base
	06	Brainea insignis	F	F	-
	07	Brainea insignis	F	F	-
C-0006	01	Brainea insignis	Р	F	-
C-0007	01	Brainea insignis	F	F	-
C-0007	02	Brainea insignis	F	Р	-
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	-
	03	Brainea insignis	Р	Р	-
C-0008	04	Brainea insignis	F	F	-
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	Р	-
	07	Brainea insignis	F	Р	Young leaves at base
C-0009	01	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
C-0010	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	Р	Р	Dry out caused by bushfire initially outside site bounda and high temperature on 2 F 2021
	02	Brainea insignis	F	Р	-
	03	Brainea insignis	Р	Р	Young leaves at base
	04	Brainea insignis	F	F	-
G 0011	05	Brainea insignis	F	Р	Young leaves at base
C-0011	06	Brainea insignis	F	F	Young leaves at base
	07	Brainea insignis	Р	Р	Young leaves at base
	08	Brainea insignis	F	F	Young leaves observed
	09	Brainea insignis	Р	Р	-
	10	Brainea insignis	F	F	Young leaves observed
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	Р	Р	
	13	Brainea insignis	F	F	-



C-0001(Patch)_01



C-0001(Patch)_02



C-0001(Patch)_03



C-0001(Patch)_04



C-0001(Patch)_05



C-0001(Patch)_06



C-0001(Patch)_07



C-0001(Patch)_08



C-0002(Patch)_01



C-0002(Patch)_02



C-0002(Patch)_03



C-0002(Patch)_04



C-0002(Patch)_05



C-0002(Patch)_06



C-0002(Patch)_07



C-0002(Patch)_08



C-0003



C-0004(Patch)_01



C-0004(Patch)_02



C-0004(Patch)_03



C-0004(Patch)_04



C-0004(Patch)_05



C-0004(Patch)_06



C-0004(Patch)_07



C-0004(Patch)_08



C-0004(Patch)_09



C-0004(Patch)_10



C-0004(Patch)_11



C-0004(Patch)_12





C-0004(Patch)_14



C-0004(Patch)_15



C-0004(Patch)_16



C-0004(Patch)_17



C-0004(Patch)_18



C-0004(Patch)_19



C-0004(Patch)_20



C-0005(Patch)_01



C-0005(Patch)_02



C-0005(Patch)_03



C-0005(Patch)_04





C-0005(Patch)_06



C-0005(Patch)_07



C-0006



C-0007(Patch)_01



C-0007(Patch)_02



C-0008(Patch)_01



C-0008(Patch)_02



C-0008(Patch)_03



C-0008(Patch)_04



C-0008(Patch)_05



C-0008(Patch)_06



C-0008(Patch)_07



C-0009



C-0010(Patch)_01



C-0010(Patch)_02



C-0010(Patch)_03



C-0011(Patch)_01



C-0011(Patch)_02



C-0011(Patch)_03





C-0011(Patch)_05



C-0011(Patch)_06

C-0011(Patch)_08







C-0011(Patch)_09



C-0011(Patch)_10



C-0011(Patch)_11



C-0011(Patch)_12



C-0011(Patch)_13

Inspection Date:

29/4/2023

Tree/Plant/ Colony No.	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark
L-0001	Spiranthes sinensis	-	-	Not observed
L-0002	Spiranthes sinensis	Р	Р	Leaf observed
L-0003	Spiranthes sinensis	Р	Р	Leaf observed
L-0004	Spiranthes sinensis	Р	Р	Leaf observed
L-0005	Spiranthes sinensis	-	-	Not observed
L-0006	Spiranthes sinensis	-	-	Not observed
L-0007	Spiranthes sinensis	-	-	Not observed
L-0008	Spiranthes sinensis	Р	Р	Leaf observed
L-0009	Spiranthes sinensis	-	-	Not observed
L-0010	Spiranthes sinensis	-	-	Not observed
L-0011	Spiranthes sinensis	-	-	Not observed
L-0012	Spiranthes sinensis	-	-	Not observed
L-0013	Spiranthes sinensis	-	-	Not observed
L-0014	Spiranthes sinensis	Р	Р	Leaf observed
L-0015	Spiranthes sinensis	Р	Р	Leaf observed
L-0016	Spiranthes sinensis	-	-	Not observed
L-0018	Spiranthes sinensis	F	F	Leaf observed
L-0019	Spiranthes sinensis	_	_	Not observed
L-0020	Spiranthes sinensis	_	_	Not observed
L-0021	Spiranthes sinensis	_	_	Not observed
L-0022	Spiranthes sinensis	Р	Р	Leaf observed
L-0023	<i>Spiranthes sinensis</i>	-	-	Not observed
L-0024	Spiranthes sinensis	-	-	Not observed
L-0025	Spiranthes sinensis	-	-	Not observed
L-0026	Spiranthes sinensis	-	-	Not observed
L-0027	Spiranthes sinensis	-	-	Not observed
L-0028	Spiranthes sinensis	-	-	Not observed
L-0029	Spiranthes sinensis	-	-	Not observed
L-0030	Spiranthes sinensis	-	-	Not observed
L-0031	Spiranthes sinensis	F	F	Leaf observed
L-0032	Spiranthes sinensis	-	-	Not observed
L-0033	Spiranthes sinensis	-	-	Not observed
L-0034	Spiranthes sinensis	-	-	Not observed
L-0035	Spiranthes sinensis	-	-	Not observed
L-0036	Spiranthes sinensis	-	-	Not observed
L-0037	Spiranthes sinensis	F	F	Leaf observed
L-0038	Spiranthes sinensis	-	-	Not observed
L-0039	Spiranthes sinensis	-	-	Not observed
L-0040	Spiranthes sinensis	Р	Р	Leaf observed
L-0041	Spiranthes sinensis	-	-	Not observed
L-0042	Spiranthes sinensis	-	-	Not observed















L-0007









L-0011









L-0015









L-0020















L-0027



L-0028









L-0032














L-0038









L-0042

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

									Ve	getati		aintena			-	(Apri	1 202	3)												
Description of Work		Date																												
Description of work	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Watering					Y							Y							Y										Y	
Weeding												Y																	Y	
Fertilization																														
Pest/Disease Control																														
Firming up																														
Trimming of Wilted Foliage																														
Mulching																														
Inspection																													Y	
Checking of Protection Zone																													Y	
Remarks	R, MF	R, RH	R, RH	IR, RH	IR, MF	IR, MF	IR, MH	R, MH	R, MH	IR, MH	R, MH	IR, MH	R, MH	R, MH	R, MH	R, MH	R, MH	R, MH	R, MH	R, RH	R, RH	R, MH	IR, RH	R, MH	R, RH	RM	R, MH	R, MH	R, MH	MH
	Pub	lic Hol	liday		H-Ho	ot	D-Dr	izzle		R-Ra	iny		W-W	indy		RH-H	ligh H	Iumidi	ity	MH-I	Mediu	ım Hu	midity	7	LH-L	.ow H	lumidi	ty		

Hong Da Landscaping Limited



IMG_2768



IMG_2772



IMG_6929



IMG_6932

Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

Contra	act	Provision of Environmental Team consultancy for Design and Construction								
		of Kong Nga Po Police Training Facilities (Programme no. 279LP)								
Inspected By		ETL	Inspection Date Time Period		11-4-2023 10:30 TO 11:30					
D. 44										
Part A Condit		ather Sunny Fine Overcast Drizzle	Rain	S	orm	Hazy				
Humid Wind	ity	High (RH>90%) Moderate (90%>RH>50%) Calm Light Breeze Strong	Low (R	H<50%)						
Part B		N/A o	or not observed	Yes	No	Follow-up	N/C	Remarks		
1.	Cycadfer	n Brainea insignis								
1.1	Are the pl	lants' health conditions satisfactory?								
1.2	Are transp	planted plants on site protected carefully?								
1.3	Are the te	emporary protective fence properly erected and maintained?		\square						
1.4	Are the pl	lant protection zone set 1m from the plants?								
1.5	Are all gr	assed and planted area kept free from weeds/unwanted plants?								
1.6	Is compac	ction of the soil avoided for the plants?								
1.7	Are litter/	unwanted material removed within the planting area?		\square						
1.8	Are equip	ment or stockpile placed outside the protection zone?			\square					
1.9		debris or construction materials deposited around and against the plant as this causes bark damage avoided?			\square					
1.10	Are fixing	gs driven into plants avoided?								
1.11	Are the pl signs avoi	lants used for anchoring or winching purposes or for the display of ided?	\square							
1.12		re lit below the branches and petrol, oil or caustic substances stored lants avoided?			\square					
1.13	Are all pla	ants kept free from pest, disease or fungal infection?	\square							
1.14	Are there	enough area for growth and development of plant roots?								
1.15a	Is exposu	re of plant roots avoided?								
1.15b	If not, we	re broken off or rotting of roots avoided?								
2.	Ladies T	resses Spiranthes sinensis								
2.1		lants' health conditions satisfactory?	\square							
2.2	Are transp	planted plants on site protected carefully?	\square							
2.3	Are the te	emporary protective fence properly erected and maintained?		\square						
2.4	Are the pl	lant protection zone set 1m from the plants?	\square							
2.5	Are all gr	assed and planted area kept free from weeds/unwanted plants?	\square							
2.6	Is compac	ction of the soil avoided for the plants?	\square							
2.7	Are litter/	unwanted material removed within the planting area?		\square						

Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

-		NA or out observed	Yes	Ne	Fallen-ap	NC	Remarks
28	Are equipment or stockpile placed outside the protection zone?						
29	Are soil, debris or construction materials deposited around and against t trunk of a plant as this causes bark damage avoided?						
2.10	Are fixings driven into plants avoided*						
211	Are the plants used for anchoring or winching purposes or for the displa signs avoided?						
2.12	Are the fire lit below the branches and petrol, oil or caustic substances a near the plants avoided?	Lorent Lorent					
213	Are all plants kept free from pest, disease or fungal infection?					-	
2.14	Are there enough area for growth and development of plant roots?						
2.15a	Is exposure of plant roots avoided?	E	-				
2.156	If not, were broken off or rotting of roots avoided?						
3.	Incense Trees Aquilaria sinesis	_					
31	Are the trees's health conditions satisfactory?		-	-	-		-/
32	Are transplanted trees on site protected carefully?			-		-	7
33	Are the temporary protective fence properly erected and maintained?						1
34	Are the tree protection zone set 1m from the trees?		Ч		-	Z	-
35	Are all grassed and planted area kept free from weeds unwanted plants?				X		-
3.6	Is compaction of the soil avoided for the trees			4		-	
3.7	Are litter unwanted material removed within the planting area?			P			
	Are equipment or stockpile placed outside the protection zone?		A				
3.9	Are soil, debris or construction materials deposited around and against t trunk of a tree as this causes bark damage avoided?			ш			

1 10	Are fixings driven into trees avoided?							_
3.11	Are the trees used for anchoring or winching purposes or for the display of signs avoided?	-	_	_	_	_		
							_	
3.12	Are the fire lit below the branches and petrol, eil or caustic substances stored near the trees avoided?			_				
3 13	Are all trees kept free from pest, disease or fungal intection?						_	_
	Are there enough area for growth and development of tree roots?							_
3.15a	Is exposure of tree roots avoided?					-		_
3 15b	If not, were broken off or solting of roots avoided?							_
3.16	Are wounds/mechanical injuries avoided on tree trunk?							_
	Are leaning of trees avoided?							_
3.18	Are dead/detached branches avoided?						-	
19	Are decay/cavity avoided on tree trunks?							-

/

Remarks/Observations

IEC	ET Representative	Contractor Representative
nthe	L	42
Name: Mr. Law	Name: Mr. Chow	Name: Marian Kong
Date: 11/4/2023	Date: 11-4-2023	Date: 11-4-2023