APPENDIX H ECOLOGICAL MONITORING RESULTS

Post-transplantation monitoring records for transplanted flora species (July 2023)

Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works Report

INSPECTION DATE: 27 JULY 2023 REPORT DATE: 31 JULY 2023

> PREPARED BY: Lau Siu Yeung, Andy (UKAA PR5206)

> > Version: 00

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

						Audit N	.ei. 140		
Contr	act	SS K509							
Inspected By		Lau Siu Yeung (Andy)	Inspection Date Time Period	27/07/2023 07:00 to 12:00			00		
Part A Condit		ather Sunny Fine Overcast Drizzle	Rain		torm	Hazy			
Tempe		32.2 °C		—	_				
Humid Wind	lity	High (RH>90%) Moderate (90%>RH>50%) Calm Light Breeze Strong	Low (F	RH<50%)					
			or not observed	Yes	No	Follow-up	N/C	Remarks	_
Part B		n Brainea insignis							
1.1		lants' health conditions satisfactory?		<u> </u>					
1.2	-	planted plants on site protected carefully?							_
1.3		emporary protective fence properly erected and maintained?		<u>./</u>					
1.4		lant protection zone set 1m from the plants?							
1.5	_	assed and planted area kept free from weeds/unwanted plants?							
1.6		ction of the soil avoided for the plants?							_
1.7	•	unwanted material removed within the planting area?							
1.8		oment or stockpile placed outside the protection zone?			\Box		\Box		
1.9	Are soil, o	debris or construction materials deposited around and against the plant as this causes bark damage avoided?		$ \Box $					_
1.10		gs driven into plants avoided?		\square					
1.11		lants used for anchoring or winching purposes or for the display of		\triangle					_
1.12	Are the fir	re lit below the branches and petrol, oil or caustic substances stored plants avoided?		\triangle					
1.13	•	ants kept free from pest, disease or fungal infection?		\triangleleft					
		enough area for growth and development of plant roots?		$\overline{\triangleleft}$	$\overline{\Box}$	$\overline{\Box}$	\Box		
1.15a	Is exposu	re of plant roots avoided?					$\overline{\Box}$		
1.15b	If not, we	re broken off or rotting of roots avoided?		\Box					
		N/A	or not observed	Yes	No	Follow-up	N/C	Remarks	_
2.		resses Spiranthes sinensis lants' health conditions satisfactory?					\Box		
2.1		planted plants on site protected carefully?							_
2.2		emporary protective fence properly erected and maintained?							
2.3		lant protection zone set 1m from the plants?							
2.4	•	ant protection zone set 1m from the plants? assed and planted area kept free from weeds/unwanted plants?							_
2.6	_	ction of the soil avoided for the plants?		Ľ. ĭ					_
	•	unwanted material removed within the planting area?		\range \ra				-	_

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the protection zone?		\square				-
2.9	Are soil, debris or construction materials deposited around and against trunk of a plant as this causes bark damage avoided?	the	\square				
2.10	Are fixings driven into plants avoided?		\triangle				
2.11	Are the plants used for anchoring or winching purposes or for the displ signs avoided?	ay of	\triangle				
2.12	Are the fire lit below the branches and petrol, oil or caustic substances near the plants avoided?	stored	\triangle				
2.13	Are all plants kept free from pest, disease or fungal infection?		\square				
2.14	Are there enough area for growth and development of plant roots?		\triangle				
2.15a	Is exposure of plant roots avoided?		\square				
2.15b	If not, were broken off or rotting of roots avoided?		\triangle				
		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
3	Incense Trees Aquilaria sinesis	_	_				
3.1	Are the trees's health conditions satisfactory?		Ш		Ш	Ш	
3.2	Are transplanted trees on site protected carefully?						
3.3	Are the temporary protective fence properly erected and maintained?						
3.4	Are the tree protection zone set 1m from the trees?						
3.5	Are all grassed and planted area kept free from weeds/unwanted plants?						
3.6	Is compaction of the soil avoided for the trees						
3.7	Are litter/ unwanted material removed within the planting area?						
3.8	Are equipment or stockpile placed outside the protection zone?						
3.9	Are soil, debris or construction materials deposited around and against trunk of a tree as this causes bark damage avoided?	the					
3.10	Are fixings driven into trees avoided?						
3.11	Are the trees used for anchoring or winching purposes or for the display signs avoided?	y of					
3.12	Are the fire lit below the branches and petrol, oil or caustic substances near the trees avoided?	stored					
3.13	Are all trees kept free from pest, disease or fungal infection?						
3.14	Are there enough area for growth and development of tree roots?						
3.15a	Is exposure of tree roots avoided?						
3.15b	If not, were broken off or rotting of roots avoided?				Z		
3.16	Are wounds/mechanical injuries avoided on tree trunk?					A	
3.17	Are leaning of trees avoided?						
3.18	Are dead/detached branches avoided?						
3.19	Are decay/cavity avoided on tree trunks?						

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

	Follow-up for the Previous	Site Audit on Date:	(Ref. No)				_
	rational to	. 1/	N/A or not observed	Yes	No	Follow-up	N/C	Remarks
	Is the situation in item			\mathbb{H}	님	믬	님	
	Is the situation in item			=	\vdash	믬	=	
	Is the situation in item Is the situation in item	=		\vdash	\vdash	믬	\vdash	
		improved/rectified?		\vdash	\vdash	H	\vdash	
		improved/rectified?		\vdash	\vdash	片	\vdash	
			H	\mathbb{H}	H		H	
	Is the situation in item	_		\forall	\vdash	Η	\vdash	-
	Is the situation in item		H	H	H	H	\vdash	
	Is the situation in item	-		H	\vdash	H	H	
	15 the Statistics in New	improved recurse.			Ш		ш	
emarl	ks/Observations							
	Signatures:							

(Name: (Date:

Design and Construction of Kong Nga Po Police Training Facilities Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 27/7/2023

Tree/Plant/	Number of	Species Name	Form	Health	Remark
Colony No.	Individuals	Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
C-0001	04	Brainea insignis	F	F	Young leaves observed
C-0001	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	P	Young leaves observed
G 000 2	04	Brainea insignis	F	P	Young leaves observed
C-0002	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
C-0003	01	Brainea insignis	F	F	Young leaves observed
C-0003	01	Brainea insignis	1	1	Young leaves at base; Dry out
					caused by bushfire initially
	01	Brainea insignis	P	P	outside site boundary and high
					temperature on 2 Feb 2021
	02	Brainea insignis	F	F	Young leaves observed
	03		F	F	Young leaves observed
	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	F	
		Brainea insignis			Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	P	Young leaves at base
	09	Brainea insignis	P	P	Dry out caused by bushfire
					initially outside site boundary
					and high
			_	_	temperature on 2 Feb 2021
	10	Brainea insignis	F	P	Young leaves at base
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	F	P	Young leaves observed
C-0004					Stem not found
			-	-	Dry out caused by bushfire
	13	Brainea insignis			initially outside site boundary
					and high temperature on 2 Feb
				_	2021
	14	Brainea insignis	F	F	Young leaves observed
			P		Young leaves at base; Dry out
	15	Brainea insignis		P	caused by bushfire initially
	15	Brainea insignis			outside site boundary and high
					temperature on 2 Feb 2021
					Dry out caused by bushfire
	16	Brainea insignis	P	P	initially
					outside site boundary and high
	1.7	n · · · ·	T.	D.	temperature on 2 Feb 2021
	17	Brainea insignis	P	P	Young leaves observed
	18	Brainea insignis	-		Burned by bushfire initially
				-	outside the site boundary on 2
	10	n · · · ·	F	D.	Feb 2021.
	19	Brainea insignis	F	P	-
	20	Brainea insignis	F	F	Young leaves observed

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 27/7/2023

Tree/Plant/	Number of	Species Name	Form	Health	Remark		
Colony No.	Individuals		(Good/Fair/Poor)	(Good/Fair/Poor)			
	01	Brainea insignis	F	F	Young leaves observed		
	02	Brainea insignis	F	F	Young leaves observed		
	03	Brainea insignis	F	F	Young leaves observed		
C-0005	04	Brainea insignis	F	F	Young leaves observed		
	05	Brainea insignis	F	P	Young leaves at base		
	06	Brainea insignis	F	F	Young leaves observed		
	07	Brainea insignis	F	F	Young leaves observed		
C-0006	01	Brainea insignis	P	F	Young leaves observed		
C-0007	01	Brainea insignis	F	F	Young leaves observed		
C-0007	02	Brainea insignis	F	P	-		
	01	Brainea insignis	F	F	Young leaves observed		
	02	Brainea insignis	F	F	Young leaves observed		
	03	Brainea insignis	P	P	Young leaves observed		
C-0008	04	Brainea insignis	F	F	Young leaves observed		
	05	Brainea insignis	F	F	Young leaves observed		
	06	Brainea insignis	F	P	-		
	07	Brainea insignis	F	P	Young leaves at base		
C-0009	01	Brainea insignis	F	F	Young leaves observed		
	01	Brainea insignis	F	F	Young leaves observed		
C-0010	02	Brainea insignis	F	F	Young leaves observed		
	03	Brainea insignis	F	F	Young leaves observed		
	01	Brainea insignis	P	P	Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021		
	02	Brainea insignis	F	P	-		
	03	Brainea insignis	P	P	Young leaves at base		
	04	Brainea insignis	F	F	-		
C 0011	05	Brainea insignis	F	P	Young leaves at base		
C-0011	06	Brainea insignis	F	F	Young leaves at base		
	07	Brainea insignis	P	P	Young leaves at base		
	08	Brainea insignis	F	F	Young leaves observed		
	09	Brainea insignis	P	P	-		
	10	Brainea insignis	F	F	Young leaves observed		
	11	Brainea insignis	F	F	Young leaves observed		
	12	Brainea insignis	P	P	-		
	13	Brainea insignis	F	F	Young leaves observed		



C-0001(Patch)_01





C-0001(Patch)_03






C-0001(Patch)_05





C-0001(Patch)_07





C-0002(Patch)_01





C-0002(Patch)_03





C-0002(Patch)_05





C-0002(Patch)_07





C-0003



C-0004(Patch)_01





C-0004(Patch)_03













C-0004(Patch)_09





C-0004(Patch)_11





C-0004(Patch)_13





C-0004(Patch)_15






C-0004(Patch)_17





C-0004(Patch)_19





C-0005(Patch)_01





C-0005(Patch)_03





C-0005(Patch)_05





C-0005(Patch)_07



C-0006



C-0007(Patch)_01














C-0008(Patch)_05





C-0008(Patch)_07



C-0009



C-0010(Patch)_01





C-0010(Patch)_03



C-0011(Patch)_01





C-0011(Patch)_03





C-0011(Patch)_05





C-0011(Patch)_07





C-0011(Patch)_09





C-0011(Patch)_11





C-0011(Patch)_13

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 27/7/2023

Tree/Plant/ Colony No.	Species Name		Health (Good/Fair/Poor)	30/6/2023
L-0001	Spiranthes sinensis	-	-	Not observed
L-0002	Spiranthes sinensis	P	P	Leaf observed
L-0003	Spiranthes sinensis	P	P	Leaf observed
L-0004	Spiranthes sinensis	P	P	Not observed
L-0005	Spiranthes sinensis	-	-	Not observed
L-0006	Spiranthes sinensis	-	-	Not observed
L-0007	Spiranthes sinensis	-	-	Not observed
L-0008	Spiranthes sinensis	P	P	Leaf observed
L-0009	Spiranthes sinensis	-	-	Not observed
L-0010	Spiranthes sinensis	-	-	Not observed
L-0011	Spiranthes sinensis	-	-	Not observed
L-0012	Spiranthes sinensis	-	-	Not observed
L-0013	Spiranthes sinensis	-	-	Not observed
L-0014	Spiranthes sinensis	P	P	Leaf observed
L-0015	Spiranthes sinensis	P	P	Leaf observed
L-0016	Spiranthes sinensis	-	-	Not observed
L-0018	Spiranthes sinensis	F	F	Leaf observed
L-0019	Spiranthes sinensis	-	-	Not observed
L-0020	Spiranthes sinensis	-	-	Not observed
L-0021	Spiranthes sinensis	-	-	Not observed
L-0022	Spiranthes sinensis	F	F	Leaf observed
L-0023	Spiranthes sinensis	-	-	Not observed
L-0024	Spiranthes sinensis	P	P	Leaf observed
L-0025	Spiranthes sinensis	-	-	Not observed
L-0026	Spiranthes sinensis	-	-	Not observed
L-0027	Spiranthes sinensis	-	-	Not observed
L-0028	Spiranthes sinensis	-	-	Not observed
L-0029	Spiranthes sinensis	-	-	Not observed
L-0030	Spiranthes sinensis	-	-	Not observed
L-0031	Spiranthes sinensis	F	F	Leaf observed
L-0032	Spiranthes sinensis	-	-	Not observed
L-0033	Spiranthes sinensis	-	-	Not observed
L-0034	Spiranthes sinensis	-	-	Not observed
L-0035	Spiranthes sinensis	-	-	Not observed
L-0036	Spiranthes sinensis	-	-	Not observed
L-0037	Spiranthes sinensis	P	P	Leaf observed
L-0038	Spiranthes sinensis	-	-	Not observed
L-0039	Spiranthes sinensis	-	-	Not observed
L-0040	Spiranthes sinensis	F	F	Leaf observed
L-0041	Spiranthes sinensis	-	-	Not observed
L-0042	Spiranthes sinensis	-	-	Not observed

Design and Construction of Kong Nga Po Police Training Facilities Monitoring and Maintenance Works for Flora Species of Conservation Interest



L-0001





L-0003





L-0005





L-0007





L-0009





L-0011





L-0013





L-0015









L-0020









L-0024





L-0026





L-0028



L-0029









L-0032





L-0034



L-0035





















L-0042

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Hong Da Landscaping Limited

Vegetation Maintenance Record Sheet (July 2023)

Description of Work																Date															
Description of Work	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Watering					Y						Y		Y					Y		Y							Y				
Weeding																											Y				
Fertilization																															
Pest/Disease Control																															
Firming up of fence																											Y				
Installation of shaded net																															
Mulching																															
Inspection																		Y													
Checking of Protection Zone																		Y									Y				
Remarks	R, MH	R, MH	R, MH	R, MH	МН	R, MH	R, MH	МН	R, MH	МН	МН	МН	МН	МН	R, MH	МН	МН	МН	R, MH	R, MH	МН	МН	МН								
	Public Holiday H-Hot D-Drizzle R-Rainy W-Windy RH-High Humidity MH-Medium Humidity LH-Low Humidity																														



IMG_4769





IMG_4806

Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

Contract		Provision of Environmental Team consultancy for Design and Construction											
		of Kong Nga Po Police Training Facilities (Programme no. 279LP)											
Inspected By		ETL	Inspection Date	25-07-2023									
Part A	We	ather											
Condit		Sunny Fine Overcast Drizzle	Rain	St	orm	Hazy							
Humidity Wind		High (RH>90%) Moderate (90%>RH>50%) Calm Light Breeze Strong	Low (F	CH<50%)									
Part B		N/A (or not observed	Yes	No F	Follow-up N/C	Remarks						
1.	Cycadfer	rn Brainea insignis											
1.1	Are the p	lants' health conditions satisfactory?											
1.2	Are transp	planted plants on site protected carefully?											
1.3	Are the te	emporary protective fence properly erected and maintained?											
1.4	Are the p	lant protection zone set 1m from the plants?											
1.5	Are all gr	rassed and planted area kept free from weeds/unwanted plants?											
1.6	Is compa	ction of the soil avoided for the plants?											
1.7	Are litter/	/ unwanted material removed within the planting area?											
1.8	Are equip	oment or stockpile placed outside the protection zone?											
1.9		debris or construction materials deposited around and against the a plant as this causes bark damage avoided?											
1.10	Are fixing	gs driven into plants avoided?											
1.11	Are the p	lants used for anchoring or winching purposes or for the display of ided?											
1.12		ire lit below the branches and petrol, oil or caustic substances stored blants avoided?			\square								
1.13	Are all pl	ants kept free from pest, disease or fungal infection?											
1.14	Are there	enough area for growth and development of plant roots?											
1.15a	Is exposu	re of plant roots avoided?											
1.15b	If not, we	ere broken off or rotting of roots avoided?											
2.	Ladies T	resses Spiranthes sinensis											
2.1	Are the p	lants' health conditions satisfactory?											
2.2	Are transp	planted plants on site protected carefully?											
2.3	Are the te	emporary protective fence properly erected and maintained?											
2.4	Are the p	lant protection zone set 1m from the plants?											
2.5	_	rassed and planted area kept free from weeds/unwanted plants?											
2.6	-	ction of the soil avoided for the plants?											
2.7	Are litter/	unwanted material removed within the planting area?											

Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

		NI/A on no	4 alean-mad	*7	NT.	E. II.	NIC	Damada
		N/A of ite	ot observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the pro-	otection zone?	Ш	Ш		Ш	Ш	
2.9	Are soil, debris or construction materials deposit trunk of a plant as this causes bark damage avoid							
2.10	Are fixings driven into plants avoided?							
2.11	Are the plants used for anchoring or winching pusigns avoided?	rposes or for the display of						
2.12	Are the fire lit below the branches and petrol, oil near the plants avoided?	or caustic substances stored						
2.13	Are all plants kept free from pest, disease or fung	gal infection?						
2.14	Are there enough area for growth and developme	ent of plant roots?						
2.15a	Is exposure of plant roots avoided?							
2.15b	If not, were broken off or rotting of roots avoided	1?						
∤ A d	vice/observations							
2) The advisable installation	on of a shaded net	is provid	ded b	elow.			
IEC	<u> </u>	ETI		Cont	ootor !	Zanzas	antati ::	
IEC		Lee		Contr	acioi I	Repres	entative	z
Na	me: Mr. Law	Name: Mr. Lee		Name	e: Mari	an Kon	g	
Da	te:	Date: 25-07-2023		Date:				

The advisable installation of a shaded net





Remark: Non scale & Conceptual drawing