APPENDIX H ECOLOGICAL MONITORING RESULTS Post-transplantation monitoring records for transplanted flora species (September 2023)

# Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

## Monitoring and Maintenance Works Report

## INSPECTION DATE: 29 SEPTEMBER 2023 REPORT DATE: 30 SEPTEMBER 2023

PREPARED BY: Lau Siu Yeung, Andy (UKAA PR5206)

Version: 00

#### Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

							Audit l	Ref. No	
Contra	act	SS K509							
Inspect	ted By	Lau Siu Yeung (Andy)	Inspection D	ate			/2023		
			Time Period			13:00	to 16	:00	
Part A	We	ather ,							
Condit		Sunny Fine Overcast Drizzle	Ra	in 🗌	St	orm	Hazy		
Tempe Humid		[30.3] °C ☐ High (RH>90%) Moderate (90%>RH>50%)	Lo	w (RH<	50%)				
Wind		Calm Light Breeze Strong							
Part B		1	VA or not observed	Y	es	No	Follow-up	N/C	Remarks
1.	Cvcadfe	rn Brainea insignis							
1.1	Are the p	lants' health conditions satisfactory?			Z				
1.2	Are trans	planted plants on site protected carefully?			Ź				
1.3	Are the to	emporary protective fence properly erected and maintained?			Ź				
1.4	Are the p	lant protection zone set 1m from the plants?			∕_				
1.5	Are all gi	assed and planted area kept free from weeds/unwanted plants?			Ź				
1.6	Is compa	ction of the soil avoided for the plants?			Ź				
1.7	Are litter	/ unwanted material removed within the planting area?			Ź				
1.8	Are equip	pment or stockpile placed outside the protection zone?							
1.9		debris or construction materials deposited around and against th a plant as this causes bark damage avoided?	e 🗌		Ź				
1.10	Are fixin	gs driven into plants avoided?			Ź				
1.11	Are the p signs avo	lants used for anchoring or winching purposes or for the display ided?	of		⊿				
1.12		ire lit below the branches and petrol, oil or caustic substances sto plants avoided?	ored		Ź				
1.13	Are all pl	ants kept free from pest, disease or fungal infection?			$\angle$				
1.14	Are there	enough area for growth and development of plant roots?			∕				
1.15a	Is exposu	re of plant roots avoided?			$\angle$				
1.15b	If not, we	ere broken off or rotting of roots avoided?			Ź				
2.	Ladies T	resses Spiranthes sinensis	VA or not observed	Y	es	No	Follow-up	N/C	Remarks
2.1	Are the p	lants' health conditions satisfactory?							
2.2	Are trans	planted plants on site protected carefully?							
2.3	Are the te	emporary protective fence properly erected and maintained?			Ź				
2.4	Are the p	lant protection zone set 1m from the plants?			Ź				
2.5	Are all g	assed and planted area kept free from weeds/unwanted plants?							
2.6	Is compa	ction of the soil avoided for the plants?			Ź				
2.7	Are litter	/ unwanted material removed within the planting area?			∕				

#### Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the protection zone?		$\overline{\mathbf{A}}$				
2.9	Are soil, debris or construction materials deposited around and against	the					
2.9	trunk of a plant as this causes bark damage avoided?						
2.10	Are fixings driven into plants avoided?		$\checkmark$				
2.11	Are the plants used for anchoring or winching purposes or for the disp signs avoided?	ay of	$\checkmark$				
2.12	Are the fire lit below the branches and petrol, oil or caustic substances near the plants avoided?	stored	$\checkmark$				
2.13	Are all plants kept free from pest, disease or fungal infection?		$\checkmark$				
2.14	Are there enough area for growth and development of plant roots?		$\checkmark$				
2.15a	Is exposure of plant roots avoided?		$\checkmark$				
2.15b	If not, were broken off or rotting of roots avoided?		$\triangleleft$				
$\overline{}$		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
<b>3</b> .1	Incense Trees Aquilaria sinesis Are the trees's health conditions satisfactory?						
3.2	Are transplanted trees on site protected carefully?						
3.3	Are the temporary protective fence properly erected and maintained?						
3.4	Are the tree protection zone set 1m from the trees?						
3.5	Are all grassed and planted area kept free from weeds/unwanted plants	?					
3.6	Is compaction of the soil avoided for the trees						
3.7	Are litter/ unwanted material removed within the planting area?						
3.8	Are equipment or stockpile placed outside the protection zone?						
3.9	Are soil, debris or construction materials deposited around and against trunk of a tree as this causes bark damage avoided?	the					
3.10	Are fixings driven into trees avoided?						
3.11	Are the trees used for anchoring or winching purposes or for the displa signs avoided?	y of					
3.12	Are the fire lit below the branches and petrol, oil or caustic substances near the trees avoided?	stored					
3.13	Are all trees kept free from pest, disease or fungal infection?						
3.14	Are there enough area for growth and development of tree roots?						
3.15a	Is exposure of tree roots avoided?			$\square$			
3.15b	If not, were broken off or rotting of roots avoided?				$\square$		
3.16	Are wounds/mechanical injuries avoided on tree trunk?					$\bigtriangledown$	
3.17	Are leaning of trees avoided?						<u> </u>
3.18	Are dead/detached branches avoided?						
3.19	Are decay/cavity avoided on tree trunks?						$\rightarrow$

#### Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

Part C	Follow-up for the Previo	us Site Audit on Date:	(Ref. No)					
			N/A or not observed	Yes	No	Follow-up	N/C	Remarks
1.	Is the situation in item	improved/rectified?						
2.	Is the situation in item	improved/rectified?						
3.	Is the situation in item	improved/rectified?						
4.	Is the situation in item	improved/rectified?						
5.	Is the situation in item	improved/rectified?						
6.	Is the situation in item	improved/rectified?						
7.	Is the situation in item	improved/rectified?						
8.	Is the situation in item	improved/rectified?						
9.	Is the situation in item	improved/rectified?						
10.	Is the situation in item	improved/rectified?						

#### **Remarks/Observations**

Black rainstorm warning signal effected from 7 September 2023 to 8 September 2023 did cause adverse effect on the health of Ladies Tressess even shelter was installed.

Signatures:	
Contractor's Representative	
(Name: Lau Siu Yeung (Date: 29/09/2023	) )

Supervisor's Rep.

(Name: (Date:

Inspection Date:

29/9/2023

Tree/Plant/ Colony No.	Number of Individuals	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	04	Brainea insignis	F	F	Young leaves observed
C-0001	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
	01	-	F	F	
		Brainea insignis			Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	Р	Young leaves observed
C-0002	04	Brainea insignis	F	Р	Young leaves observed
0 0002	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
C-0003	01	Brainea insignis	F	F	Young leaves observed
		0			Young leaves at base; Dry o
					caused by bushfire initially
	01	Brainea insignis	Р	Р	outside site boundary and his
					temperature on 2 Feb 2021
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	03	-	F	F	
		Brainea insignis			Young leaves observed
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	Р	Young leaves at base
	09	Brainea insignis	Р	Р	Dry out caused by bushfire
					initially outside site boundar
	07				and high
					temperature on 2 Feb 2021
	10	Brainea insignis	F	Р	Young leaves at base
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	F	Р	Young leaves observed
C 0004					Stem not found
C-0004		Brainea insignis	-	-	Dry out caused by bushfire
	13				initially outside site boundar
	15				and high temperature on 2 F
					2021
	14	Brainea insignis	F	F	Young leaves observed
	17	Drainea insignis	1	1	Young leaves at base; Dry o
			Р	Р	caused by bushfire initially
	15 Brainea ins	Brainea insignis			outside site boundary and hi
					temperature on 2 Feb 2021
			Р		Dry out caused by bushfire
	16 Brain	Brainea insignis		Р	initially
					outside site boundary and his
			-		temperature on 2 Feb 2021
	17	Brainea insignis	Р	Р	Young leaves observed
					Burned by bushfire initially
	18	Brainea insignis	-	-	outside the site boundary on
					Feb 2021.
	19	Brainea insignis	F	Р	-
	20	Brainea insignis	F	F	Young leaves observed

Inspection Date:

29/9/2023

Tree/Plant/ Colony No.	Number of Individuals	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark
e erenj r.e.	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
C-0005	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	Р	Young leaves at base
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
C-0006	01	Brainea insignis	Р	F	Young leaves observed
~ ~ ~ ~	01	Brainea insignis	F	F	Young leaves observed
C-0007	02	Brainea insignis	F	Р	-
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	Р	Р	Young leaves observed
C-0008	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	Р	-
	07	Brainea insignis	F	Р	Young leaves at base
C-0009	01	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
C-0010	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	Р	р	Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	02	Brainea insignis	F	Р	-
	03	Brainea insignis	Р	Р	Young leaves at base
	04	Brainea insignis	F	F	-
0.0011	05	Brainea insignis	F	Р	Young leaves at base
C-0011	06	Brainea insignis	F	F	Young leaves at base
	07	Brainea insignis	Р	Р	Young leaves at base
	08	Brainea insignis	F	F	Young leaves observed
	09	Brainea insignis	Р	Р	-
	10	Brainea insignis	F	F	Young leaves observed
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	Р	Р	-
	13	Brainea insignis	F	F	Young leaves observed



## C-0001(Patch)\_01



C-0001(Patch)\_02



C-0001(Patch)\_03



C-0001(Patch)\_04



C-0001(Patch)\_05



C-0001(Patch)\_06



C-0001(Patch)\_07



C-0001(Patch)\_08





C-0002(Patch)\_02



C-0002(Patch)\_03



C-0002(Patch)\_04



### C-0002(Patch)\_05



C-0002(Patch)\_06



C-0002(Patch)\_07



C-0002(Patch)\_08



C-0003



C-0004(Patch)\_01



C-0004(Patch)\_02



C-0004(Patch)\_03



C-0004(Patch)\_04



C-0004(Patch)\_05



C-0004(Patch)\_06





C-0004(Patch)\_08



C-0004(Patch)\_09



C-0004(Patch)\_10



C-0004(Patch)\_11



C-0004(Patch)\_12



C-0004(Patch)\_13



C-0004(Patch)\_14



C-0004(Patch)\_15



C-0004(Patch)\_16



C-0004(Patch)\_17



C-0004(Patch)\_18



C-0004(Patch)\_19



C-0004(Patch)\_20



C-0005(Patch)\_01



C-0005(Patch)\_02





C-0005(Patch)\_04



C-0005(Patch)\_05



C-0005(Patch)\_06



C-0005(Patch)\_07



C-0006(Patch)



C-0007(Patch)\_01



C-0007(Patch)\_02



C-0008(Patch)\_01



C-0008(Patch)\_02



C-0008(Patch)\_03



C-0008(Patch)\_04



C-0008(Patch)\_05



C-0008(Patch)\_06



C-0008(Patch)\_07



C-0009



C-0010(Patch)\_01



C-0010(Patch)\_02



C-0010(Patch)\_03



C-0011(Patch)\_01



C-0011(Patch)\_02



C-0011(Patch)\_03



C-0011(Patch)\_04





C-0011(Patch)\_06



C-0011(Patch)\_07



C-0011(Patch)\_08



C-0011(Patch)\_09



C-0011(Patch)\_10



C-0011(Patch)\_11



C-0011(Patch)\_12



Inspection Date:

29/9/2023

Tree/Plant/ Colony No.	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark
L-0001	Spiranthes sinensis	-	-	Not observed
L-0002	Spiranthes sinensis	-	-	Not observed
L-0003	Spiranthes sinensis	Р	Р	Only leaf base observed
L-0004	Spiranthes sinensis	Р	Р	Only leaf base observed
L-0005	Spiranthes sinensis	-	-	Not observed
L-0006	Spiranthes sinensis	-	-	Not observed
L-0007	Spiranthes sinensis	-	-	Not observed
L-0008	Spiranthes sinensis	-	-	Not observed
L-0009	Spiranthes sinensis	-	-	Not observed
L-0010	Spiranthes sinensis	-	-	Not observed
L-0011	Spiranthes sinensis	-	-	Not observed
L-0012	Spiranthes sinensis	-	-	Not observed
L-0013	Spiranthes sinensis	-	-	Not observed
L-0014	Spiranthes sinensis	-	-	Not observed
L-0015	Spiranthes sinensis	Р	Р	Leaf observed
L-0016	Spiranthes sinensis	-	-	Not observed
L-0018	Spiranthes sinensis	F	F	Leaf observed
L-0019	Spiranthes sinensis	-	-	Not observed
L-0020	Spiranthes sinensis	-	-	Not observed
L-0021	Spiranthes sinensis	-	-	Not observed
L-0022	Spiranthes sinensis	F	F	Leaf observed
L-0023	Spiranthes sinensis	-	-	Not observed
L-0024	Spiranthes sinensis	-	-	Not observed
L-0025	Spiranthes sinensis	-	-	Not observed
L-0026	Spiranthes sinensis	-	-	Not observed
L-0027	Spiranthes sinensis	-	-	Not observed
L-0028	Spiranthes sinensis	-	-	Not observed
L-0029	Spiranthes sinensis	-	-	Not observed
L-0030	Spiranthes sinensis	-	-	Not observed
L-0031	Spiranthes sinensis	F	F	Leaf observed
L-0032	Spiranthes sinensis	-	-	Not observed
L-0033	Spiranthes sinensis	-	-	Not observed
L-0034	Spiranthes sinensis	-	-	Not observed
L-0035	Spiranthes sinensis		-	Not observed
L-0036	Spiranthes sinensis	_	-	Not observed
L-0037	Spiranthes sinensis	F	F	Leaf observed
L-0038	Spiranthes sinensis	Р	Р	Leaf observed
L-0039	Spiranthes sinensis	-	-	Not observed
L-0040	Spiranthes sinensis	F	F	Leaf observed
L-0041	Spiranthes sinensis	-	-	Not observed
L-0042	Spiranthes sinensis	-	-	Not observed





L-0002





L-0004



L-0005





L-0007









L-0011





L-0013





L-0015





L-0018







L-0021



L-0022







L-0025





L-0027





L-0029



L-0030





L-0032





L-0034







L-0037





L-0039





L-0041



L-0042

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

									Veget	tation		enanc			-	Septen	iber 2	2023)												
Description of Work																Date														
Description of work	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Watering																				Y										
Weeding																													Y	
Fertilization																														
Pest/Disease Control																														
Firming up of fence																													Y	
Installation of shaded net																														
Mulching																														
Inspection				Y					Y																				Y	
Checking of Protection Zone																													Y	
Remarks	R,MH	R, RH		MH	R,MH	MH	R,MH	R, RH	R, RH		R, RH	R,MH	R,MH	R, RH	R,MH	R,MH		MH	MH	MH	MH	MH	MH		R,MH	MH	R,MH	MH	MH	MH
	Publ	ic Hol	idav		H-Ho	ot	D-Dr	izzle		R-Ra	inv		W-W	indv		RH-F	ligh F	Humid	itv	MH-I	Mediu	m Hu	midit	v	LH-I	.ow H	umidi	tv		

Hong Da Landscaping Limited



Weeding (1)



Weeding (2)

## Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

Contra	act	Provision of Environmental Team consultancy for Design and Construction												
		of Kong Nga Po Police Training Facilities (Programme no. 279LP)												
Inspect	ed By	<u>ETL</u>	Inspection Date	25-09-2023										
Part A Condit		ather Fine Overcast Drizzle	Rain	St	orm	Hazy								
Humid Wind	ity	High (RH>90%)   Moderate (90%>RH>50%)   Low (RH<50%)												
Part B		N/A (	or not observed	Yes	No	Follow-up	N/C	Remarks						
1.	Cycadfer	n Brainea insignis												
1.1	Are the p	lants' health conditions satisfactory?												
1.2		planted plants on site protected carefully?												
1.3	Are the te	emporary protective fence properly erected and maintained?		$\square$										
1.4	Are the pl	lant protection zone set 1m from the plants?												
1.5	Are all gr	assed and planted area kept free from weeds/unwanted plants?												
1.6	Is compac	ction of the soil avoided for the plants?												
1.7	Are litter/	<sup>7</sup> unwanted material removed within the planting area?		$\square$										
1.8	Are equip	ment or stockpile placed outside the protection zone?												
1.9		debris or construction materials deposited around and against the plant as this causes bark damage avoided?			$\square$									
1.10	Are fixing	gs driven into plants avoided?												
1.11	Are the pl signs avoi	lants used for anchoring or winching purposes or for the display of ided?	$\square$											
1.12		re lit below the branches and petrol, oil or caustic substances stored plants avoided?												
1.13	Are all pla	ants kept free from pest, disease or fungal infection?												
1.14	Are there	enough area for growth and development of plant roots?												
1.15a	Is exposu	re of plant roots avoided?												
1.15b	If not, we	re broken off or rotting of roots avoided?	$\square$											
2.	Ladies T	resses Spiranthes sinensis												
2.1	Are the pl	lants' health conditions satisfactory?	$\square$											
2.2	Are trans	planted plants on site protected carefully?	$\square$											
2.3	Are the te	emporary protective fence properly erected and maintained?		$\square$										
2.4	Are the pl	lant protection zone set 1m from the plants?												
2.5	Are all gr	assed and planted area kept free from weeds/unwanted plants?												
2.6	Is compac	ction of the soil avoided for the plants?												
2.7	Are litter/	/ unwanted material removed within the planting area?												

## Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the protection zone?			$\square$			
2.9	Are soil, debris or construction materials deposited around and agains trunk of a plant as this causes bark damage avoided?	t the					
2.10	Are fixings driven into plants avoided?						
2.11	Are the plants used for anchoring or winching purposes or for the disp signs avoided?	lay of					
2.12	Are the fire lit below the branches and petrol, oil or caustic substances near the plants avoided?	stored					
2.13	Are all plants kept free from pest, disease or fungal infection?						
2.14	Are there enough area for growth and development of plant roots?						
2.15a	Is exposure of plant roots avoided?						
2.15b	If not, were broken off or rotting of roots avoided?						
∤ <b>Ad</b>	vice/observations						

Please refer to the guidelines on soil improvement issued by the Greening,
Landscape and Tree Management Section (GLTMS) of the development bureau (2022)
to apply to monitoring and maintenance of transplanted flora species.

2) The advisable installation of a shaded net is provided below.

IEC	ETL	Contractor Representative
	Lee	
Name: Mr. Law	Name: Mr. Lee	Name: Marian Kong
Date:	Date: 25-09-2023	Date:

The advisable installation of a shaded net



Remark: Non scale & Conceptual drawing