APPENDIX H ECOLOGICAL MONITORING RESULTS

Post-transplantation monitoring records for transplanted flora species (October 2023)

Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works Report

INSPECTION DATE: 25 OCTOBER 2023 REPORT DATE: 31 OCTOBER 2023

> PREPARED BY: Lau Siu Yeung, Andy (UKAA PR5206)

> > Version: 00

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

						Audit R	tef. No		-
Contract Inspected By		SS K509							
		Lau Siu Yeung (Andy)	Inspection Date Time Period	25/10/2023 14:00 to 17:00					
Condition Temperature		Sunny Fine Overcast Drizzle 26.6 °C	Rain Storm Hazy						
Humid Wind	ity	High (RH>90%) Moderate (90%>RH>50%) Calm Light Breeze Strong	Low (F	RH<50%)					
D . D			r not observed	Yes	No	Follow-up	N/C	Remarks	_
Part B	Cycadfer	n Brainea insignis							
1.1	Are the pl	ants' health conditions satisfactory?		\triangleleft					
1.2	Are transp	planted plants on site protected carefully?							
1.3	Are the te	mporary protective fence properly erected and maintained?		\triangle					
1.4	Are the pl	ant protection zone set 1m from the plants?							
1.5	Are all gra	assed and planted area kept free from weeds/unwanted plants?							
1.6	Is compac	ction of the soil avoided for the plants?		\square					
1.7	Are litter/	unwanted material removed within the planting area?		\square					
1.8	Are equip	ment or stockpile placed outside the protection zone?		\square					
1.9		lebris or construction materials deposited around and against the plant as this causes bark damage avoided?							
1.10	Are fixing	gs driven into plants avoided?		\square					
1.11	Are the pl signs avoi	ants used for anchoring or winching purposes or for the display of ded?		\triangle					
1.12		re lit below the branches and petrol, oil or caustic substances stored lants avoided?		\triangle					
1.13	Are all pla	ants kept free from pest, disease or fungal infection?		\square					
1.14	Are there	enough area for growth and development of plant roots?		\triangle					
1.15a	Is exposur	re of plant roots avoided?		\triangle					_
1.15b	If not, wer	re broken off or rotting of roots avoided?		\square					
2.	Ladies Ti	N/A o	r not observed	Yes	No	Follow-up	N/C	Remarks	
2.1		ants' health conditions satisfactory?							
2.2	Are transp	planted plants on site protected carefully?							
2.3	Are the te	mporary protective fence properly erected and maintained?		\triangle					
2.4	Are the pl	ant protection zone set 1m from the plants?		\square					
2.5	Are all gra	assed and planted area kept free from weeds/unwanted plants?		\triangle					
2.6	Is compac	tion of the soil avoided for the plants?		\square					
2.7	Ara littar/	unwanted material removed within the planting area?							

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the protection zone?		\square				-
2.9	Are soil, debris or construction materials deposited around and against trunk of a plant as this causes bark damage avoided?	the	\square				
2.10	Are fixings driven into plants avoided?		\triangle				
2.11	Are the plants used for anchoring or winching purposes or for the displ signs avoided?	ay of	\triangle				
2.12	Are the fire lit below the branches and petrol, oil or caustic substances near the plants avoided?	stored	\triangle				
2.13	Are all plants kept free from pest, disease or fungal infection?		\square				
2.14	Are there enough area for growth and development of plant roots?		\triangle				
2.15a	Is exposure of plant roots avoided?		\square				
2.15b	If not, were broken off or rotting of roots avoided?		\triangle				
		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
3	Incense Trees Aquilaria sinesis	_	_				
3.1	Are the trees's health conditions satisfactory?		Ш		Ш	Ш	
3.2	Are transplanted trees on site protected carefully?						
3.3	Are the temporary protective fence properly erected and maintained?						
3.4	Are the tree protection zone set 1m from the trees?						
3.5	Are all grassed and planted area kept free from weeds/unwanted plants?						
3.6	Is compaction of the soil avoided for the trees						
3.7	Are litter/ unwanted material removed within the planting area?						
3.8	Are equipment or stockpile placed outside the protection zone?						
3.9	Are soil, debris or construction materials deposited around and against trunk of a tree as this causes bark damage avoided?	the					
3.10	Are fixings driven into trees avoided?						
3.11	Are the trees used for anchoring or winching purposes or for the display signs avoided?	y of					
3.12	Are the fire lit below the branches and petrol, oil or caustic substances near the trees avoided?	stored					
3.13	Are all trees kept free from pest, disease or fungal infection?						
3.14	Are there enough area for growth and development of tree roots?						
3.15a	Is exposure of tree roots avoided?						
3.15b	If not, were broken off or rotting of roots avoided?				Z		
3.16	Are wounds/mechanical injuries avoided on tree trunk?					A	
3.17	Are leaning of trees avoided?						
3.18	Are dead/detached branches avoided?						
3.19	Are decay/cavity avoided on tree trunks?						

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

art C	Follow-up for the Previou	s Site Audit on Date:	(Ref. No.					
	man baran ba	. 1/ .25 10	N/A or not observed	Yes	No	Follow-up	N/C	Remarks
	Is the situation in item	·	⊢	믬	님		\vdash	
	Is the situation in item			님	님		\vdash	
		improved/rectified?		\vdash	H	\mathbb{H}	\vdash	
		improved/rectified?		\vdash	\vdash	H	\vdash	
	-	improved/rectified?improved/rectified?		\vdash	H	H	\vdash	
		improved/rectified?	H	\forall	H		\vdash	
		improved/rectified?	H	\vdash	\vdash	H	\vdash	-
	Is the situation in item		H	\vdash	H	\vdash	\vdash	
	Is the situation in item			H	H	H	H	
					ш		ш	
	/Oh							
mark	xs/Observations							
	Signatures:							
	1 1			isor's Re				

(Name: (Date:

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 25/10/2023

Tree/Plant/	Number of		Form	Health	
Colony No.	Individuals	Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	Remark
J	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
C 0001	04	Brainea insignis	F	F	Young leaves observed
C-0001	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	P	Young leaves observed
	04	Brainea insignis	F	P	Young leaves observed
C-0002	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
C-0003	01	Brainea insignis	F	F	Young leaves observed
C-0003	01	Drainea insignis	1	Г	Young leaves at base; Dry out
					caused by bushfire initially
	01	Brainea insignis	P	P	outside site boundary and high
					temperature on 2 Feb 2021
	02	Brainea insignis	F	F	Young leaves observed
	03		F	F	Young leaves observed
	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	F	
		Brainea insignis			Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	Р	Young leaves at base
	09	Brainea insignis	P	Р	Dry out caused by bushfire
					initially outside site boundary
					and high
	10			_	temperature on 2 Feb 2021
	10	Brainea insignis	F	P	Young leaves at base
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	F	P	Young leaves observed
C-0004					Stem not found
	13	Brainea insignis	-	-	Dry out caused by bushfire
					initially outside site boundary
					and high temperature on 2 Feb
	1.4				2021
	14	Brainea insignis	F	F	Young leaves observed
			P	P	Young leaves at base; Dry out
	15	Brainea insignis			caused by bushfire initially
					outside site boundary and high
					temperature on 2 Feb 2021
			P	P	Dry out caused by bushfire
	16	Brainea insignis			initially
					outside site boundary and high
	17	Duain an inneii-	P	P	temperature on 2 Feb 2021
	17	Brainea insignis	r	r	Young leaves observed
	18	Brainea insignis	-	-	Burned by bushfire initially
					outside the site boundary on 2
	19	Reginag insignis	F	P	Feb 2021.
	20	Brainea insignis	F	F	Voung loaves of
	20	Brainea insignis	Г	Г	Young leaves observed

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 25/10/2023

Tree/Plant/	Number of	Species Name	Form	Health	Remark	
Colony No. Individuals		Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	Kemark	
	01	Brainea insignis	F	F	Young leaves observed	
	02	Brainea insignis	F	F	Young leaves observed	
	03	Brainea insignis	F	F	Young leaves observed	
C-0005	04	Brainea insignis	F	F	Young leaves observed	
	05	Brainea insignis	F	P	Young leaves at base	
	06	Brainea insignis	F	F	Young leaves observed	
	07	Brainea insignis	F	F	Young leaves observed	
C-0006	01	Brainea insignis	P	F	Young leaves observed	
C 0007	01	Brainea insignis	F	F	Young leaves observed	
C-0007	02	Brainea insignis	F	P	-	
	01	Brainea insignis	F	F	Young leaves observed	
	02	Brainea insignis	F	F	Young leaves observed	
	03	Brainea insignis	P	P	Young leaves observed	
C-0008	04	Brainea insignis	F	F	Young leaves observed	
	05	Brainea insignis	F	F	Young leaves observed	
	06	Brainea insignis	F	P	-	
	07	Brainea insignis	F	P	Young leaves at base	
C-0009	01	Brainea insignis	F	F	Young leaves observed	
	01	Brainea insignis	F	F	Young leaves observed	
C-0010	02	Brainea insignis	F	F	Young leaves observed	
	03	Brainea insignis	F	F	Young leaves observed	
	01	Brainea insignis	P	P	Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021	
	02	Brainea insignis	F	P	-	
	03	Brainea insignis	P	P	Young leaves at base	
	04	Brainea insignis	F	F	-	
G 0011	05	Brainea insignis	F	P	Young leaves at base	
C-0011	06	Brainea insignis	F	F	Young leaves at base	
	07	Brainea insignis	P	P	Young leaves at base	
	08	Brainea insignis	F	F	Young leaves observed	
	09	Brainea insignis	P	P	-	
	10	Brainea insignis	F	F	Young leaves observed	
	11	Brainea insignis	F	F	Young leaves observed	
	12	Brainea insignis	P	P	-	
	13	Brainea insignis	F	F	Young leaves observed	



C-0001(Patch)_01





C-0001(Patch)_03





C-0001(Patch)_05





C-0001(Patch)_07





C-0002(Patch)_01





C-0002(Patch)_03





C-0002(Patch)_05







C-0002(Patch)_07





C-0003



C-0004(Patch)_01





C-0004(Patch)_03





C-0004(Patch)_05





C-0004(Patch)_07









C-0004(Patch)_11





C-0004(Patch)_13





C-0004(Patch)_15





C-0004(Patch)_17





C-0004(Patch)_19





C-0005(Patch)_01





C-0005(Patch)_03





C-0005(Patch)_05





C-0005(Patch)_07



C-0006



C-0007(Patch)_01





C-0008(Patch)_01









C-0008(Patch)_05





C-0008(Patch)_07



C-0009



C-0010(Patch)_01





C-0010(Patch)_03



C-0011(Patch)_01





C-0011(Patch)_03





C-0011(Patch)_05






C-0011(Patch)_07











C-0011(Patch)_11





C-0011(Patch)_13

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 25/10/2023

Tree/Plant/ Colony No.	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark				
L-0001	Spiranthes sinensis	-	-	Not observed				
L-0002	Spiranthes sinensis	P	P	Leaf observed				
L-0003	Spiranthes sinensis	P	P	Leaf observed				
L-0004	Spiranthes sinensis	P	P	Leaf observed				
L-0005	Spiranthes sinensis	-	-	Not observed				
L-0006	Spiranthes sinensis	-	-	Not observed				
L-0007	Spiranthes sinensis	-	-	Not observed				
L-0008	Spiranthes sinensis	P	P	Leaf observed				
L-0009	Spiranthes sinensis	-	-	Not observed				
L-0010	Spiranthes sinensis	-	-	Not observed				
L-0011	Spiranthes sinensis	-	-	Not observed				
L-0012	Spiranthes sinensis	-	-	Not observed				
L-0013	Spiranthes sinensis	-	-	Not observed				
L-0014	Spiranthes sinensis	P	P	Leaf observed				
L-0015	Spiranthes sinensis	P	P	Leaf observed				
L-0016	Spiranthes sinensis	-	-	Not observed				
L-0018	Spiranthes sinensis	F	F	Leaf observed				
L-0019	Spiranthes sinensis	_	-	Not observed				
L-0020	Spiranthes sinensis	_	-	Not observed				
L-0021	Spiranthes sinensis	_	-	Not observed				
L-0022	Spiranthes sinensis	F	F	Leaf observed				
L-0023	Spiranthes sinensis	-	-	Not observed				
L-0024	Spiranthes sinensis	P	P	Leaf observed				
L-0025	Spiranthes sinensis	-	-	Not observed				
L-0026	Spiranthes sinensis	-	-	Not observed				
L-0027	Spiranthes sinensis	-	-	Not observed				
L-0028	Spiranthes sinensis	-	-	Not observed				
L-0029	Spiranthes sinensis	-	-	Not observed				
L-0030	Spiranthes sinensis	-	-	Not observed				
L-0031	Spiranthes sinensis	F	F	Leaf observed				
L-0032	Spiranthes sinensis	-	-	Not observed				
L-0033	Spiranthes sinensis	-	-	Not observed				
L-0034	Spiranthes sinensis	-	-	Not observed				
L-0035	Spiranthes sinensis	-	-	Not observed				
L-0036	Spiranthes sinensis	-	-	Not observed				
L-0037	Spiranthes sinensis	F	F	Leaf observed				
L-0038	Spiranthes sinensis	P	P	Leaf observed				
L-0039	Spiranthes sinensis	-	-	Not observed				
L-0040	Spiranthes sinensis	F	F	Leaf observed				
L-0041	Spiranthes sinensis	-	-	Not observed				
L-0042	Spiranthes sinensis	-	-	Not observed				



L-0001





L-0003





L-0005





L-0007





L-0009





L-0011





L-0013





L-0015





L-0018





L-0020





L-0022





L-0024





L-0026





L-0028





L-0030





L-0032





L-0034





L-0036





L-0038





L-0040





L-0042

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Hong Da Landscaping Limited

Vegetation Maintenance Record Sheet (October2023)

Description of West-	Date																														
Description of Work	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Watering						Y							Y				Y								Y						
Weeding																									Y						
Fertilization																															
Pest/Disease Control																															
Firming up of fence																									Y						
Installation of shaded net																									Y						
Mulching																															
Inspection																									Y						
Checking of Protection Zone																									Y						
Remarks	МН	МН	МН	МН	МН	МН	MH, R	MH, R	MH, R	MH, R	МН	МН	МН	МН	МН	МН	МН	MH, R	MH, R	MH, R	МН										
	Public Holiday H-Hot D-Drizzle R-Rainy W-Win						indy		RH-F	ligh I	Iumid	ity	MH-	Mediu	m Hu	midity	y	LH-L	ow H	umidi	ty										



IMG_2217



Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

Contract		Provision of Environmental Team consultancy for Design and Construction								
		of Kong Nga Po Police Training Facilities (Programme no. 279LP)								
Inspected By		ETL	Inspection Date	31-10-2023						
Part A	We	eather								
Condit	ion	Sunny Fine Overcast Drizzle	Rain	St	orm	Hazy				
Humid Wind	lity	High (RH>90%) Moderate (90%>RH>50%) Calm Light Breeze Strong	Low (R	LH<50%)						
Part B		N/A	or not observed	Yes	No F	Follow-up N/C	Remarks			
1.	Cycadfer	rn <i>Brainea insignis</i>								
1.1	Are the p	plants' health conditions satisfactory?								
1.2	Are trans	planted plants on site protected carefully?								
1.3	Are the te	emporary protective fence properly erected and maintained?								
1.4	Are the p	lant protection zone set 1m from the plants?								
1.5	Are all gr	rassed and planted area kept free from weeds/unwanted plants?								
1.6	Is compa	ction of the soil avoided for the plants?								
1.7	Are litter	/ unwanted material removed within the planting area?								
1.8	Are equip	pment or stockpile placed outside the protection zone?								
1.9		debris or construction materials deposited around and against the a plant as this causes bark damage avoided?								
1.10	Are fixing	gs driven into plants avoided?								
1.11	Are the p signs avo	lants used for anchoring or winching purposes or for the display of ided?								
1.12		ire lit below the branches and petrol, oil or caustic substances stored olants avoided?								
1.13	Are all pl	lants kept free from pest, disease or fungal infection?								
1.14	Are there	enough area for growth and development of plant roots?								
1.15a	Is exposu	ire of plant roots avoided?								
1.15b	If not, we	ere broken off or rotting of roots avoided?	\angle							
2.	Ladies T	resses Spiranthes sinensis								
2.1	Are the p	lants' health conditions satisfactory?								
2.2	Are trans	planted plants on site protected carefully?								
2.3	Are the te	emporary protective fence properly erected and maintained?								
2.4	Are the p	plant protection zone set 1m from the plants?								
2.5	Are all gr	rassed and planted area kept free from weeds/unwanted plants?								
2.6	Is compa	ction of the soil avoided for the plants?								
2.7	Are litter	/ unwanted material removed within the planting area?								

Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

		N/A or no	t observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the pr	otection zone?						
2.9	Are soil, debris or construction materials deposit trunk of a plant as this causes bark damage avoid							
2.10	Are fixings driven into plants avoided?							
2.11	Are the plants used for anchoring or winching pusigns avoided?	rposes or for the display of						
2.12	Are the fire lit below the branches and petrol, oil near the plants avoided?	or caustic substances stored						
2.13	Are all plants kept free from pest, disease or fun	gal infection?						
2.14	Are there enough area for growth and development	ent of plant roots?						
2.15a	Is exposure of plant roots avoided?							
2.15b	If not, were broken off or rotting of roots avoide	1?						
∤Ad	vice/observations							
	andscape and Tree Manage o apply to monitoring and re The advisable installation	maintenance of tra	nsplante	ed floi	ra spe	ecies.		
IEC	.	ETL		Contr	actor I	Represe	ntative	
IE	<u>, </u>	Lee		CONT	autui I	represe	anauve	
Na	me: Mr Law	Name: Mr Lee		Name	· Mari	an Kon	a	

Date: 31-10-2023

Date:

Date:

The advisable installation of a shaded net





Remark: Non scale & Conceptual drawing