APPENDIX H ECOLOGICAL MONITORING RESULTS

Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works Report

INSPECTION DATE: 30 JUNE 2025 REPORT DATE: 07 JULY 2025

> PREPARED BY: Lau Siu Yeung, Andy (UKAA PR5206)

> > Version: 00

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

						Audit R	ef. No		_
Contra	act	SS K509							
Inspected By Lau Siu Yeung			Inspection Date Time Period			/2025 to 12:	00		
Part A Conditi Tempe Humid	ion rature	ther Sunny Fine Overcast Drizzle 28.5	Rain	S1	orm	Hazy			
Wind		Calm Light Breeze Strong		,					
Part B		N/A o	r not observed	Yes	No	Follow-up	N/C	Remarks	_
1.	Cycadfer	n Brainea insignis							
1.1	Are the pl	ants' health conditions satisfactory?		\triangle					
1.2	Are transp	planted plants on site protected carefully?		\triangleleft					
1.3	Are the te	mporary protective fence properly erected and maintained?		\triangle					
1.4	Are the pl	ant protection zone set 1m from the plants?							
1.5	Are all gra	assed and planted area kept free from weeds/unwanted plants?		\triangle					
1.6	Is compac	tion of the soil avoided for the plants?		\square					
1.7	Are litter/	unwanted material removed within the planting area?		\square					
1.8	Are equip	ment or stockpile placed outside the protection zone?		\square					
1.9		lebris or construction materials deposited around and against the plant as this causes bark damage avoided?		\square					
1.10	Are fixing	s driven into plants avoided?		\square					
1.11	Are the pl signs avoi	ants used for anchoring or winching purposes or for the display of ded?		\triangle					
1.12		re lit below the branches and petrol, oil or caustic substances stored lants avoided?		\triangle					
1.13	Are all pla	ants kept free from pest, disease or fungal infection?		\triangle					
1.14	Are there	enough area for growth and development of plant roots?		\triangleleft					
1.15a	Is exposur	re of plant roots avoided?							
1.15b	If not, wei	re broken off or rotting of roots avoided?		\square					
	Ladias Tr		r not observed	Yes	No	Follow-up	N/C	Remarks	
2. 2.1		resses Spiranthes sinensis ants' health conditions satisfactory?		\triangleleft					
2.2	Are transp	planted plants on site protected carefully?							
2.3	Are the te	mporary protective fence properly erected and maintained?							
2.4	Are the pl	ant protection zone set 1m from the plants?							
2.5	Are all gra	assed and planted area kept free from weeds/unwanted plants?							
2.6	Is compac	tion of the soil avoided for the plants?							
27	_	unwanted material removed within the planting area?			$\overline{}$	$\overline{}$	$\overline{}$		

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the protection zone?		\square				
2.9	Are soil, debris or construction materials deposited around and against t trunk of a plant as this causes bark damage avoided?	he	\Box				
2.10	Are fixings driven into plants avoided?						
2.11	Are the plants used for anchoring or winching purposes or for the displasigns avoided?	y of	\triangle				
2.12	Are the fire lit below the branches and petrol, oil or caustic substances s near the plants avoided?	tored	\triangle				
2.13	Are all plants kept free from pest, disease or fungal infection?		\square				
2.14	Are there enough area for growth and development of plant roots?		\triangle				
2.15a	Is exposure of plant roots avoided?		\square				
2.15b	If not, were broken off or rotting of roots avoided?		\triangle				
$\overline{}$	Incense Trees Aquilaria sinesis	N/A or not observed	Yes	No	Follow-up	N/C	Remarks
3.1	Are the trees's health conditions satisfactory?						
3.2	Are transplanted trees on site protected carefully?						
3.3	Are the temporary protective fence properly erected and maintained?						
3.4	Are the tree protection zone set 1m from the trees?						
3.5	Are all grassed and planted area kept free from weeds/unwanted plants?						
3.6	Is compaction of the soil avoided for the trees						
3.7	Are litter/ unwanted material removed within the planting area?						
3.8	Are equipment or stockpile placed outside the protection zone?						
3.9	Are soil, debris or construction materials deposited around and against t trunk of a tree as this causes bark damage avoided?	he					
3.10	Are fixings driven into trees avoided?						
3.11	Are the trees used for anchoring or winching purposes or for the display signs avoided?	of					
3.12	Are the fire lit below the branches and petrol, oil or caustic substances s near the trees avoided?	tored					
3.13	Are all trees kept free from pest, disease or fungal infection?		A				
3.14	Are there enough area for growth and development of tree roots?			\Box			
3.15a	Is exposure of tree roots avoided?						
3.15b	If not, were broken off or rotting of roots avoided?						
3.16	Are wounds/mechanical injuries avoided on tree trunk?					A	
3.17	Are leaning of trees avoided?						
3.18	Are dead/detached branches avoided?						
3.19	Are decay/cavity avoided on tree trunks?						

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

Is the situation in item improved/rectified?	Is the situation in item improved/rectified?	art C	Follow-up for the Previous Site Audit on		(Ref. No) es No	Follow-up N/C	Remarks
Is the situation in item improved/rectified?	Is the situation in itemimproved/rectified?		Is the situation in item improve	d/rectified?				
Is the situation in item improved/rectified?	Is the situation in item improved/rectified?		Is the situation in item improve	d/rectified?				
Is the situation in itemimproved/rectified?	Is the situation in item improved/rectified?		Is the situation in itemimprove	d/rectified?				
Is the situation in item improved/rectified?	Is the situation in item improved/rectified?		Is the situation in item improve	d/rectified?				
Is the situation in item improved/rectified?	Is the situation in item improved/rectified? improved/rectified? improved/rectified? improved/rectified? is the situation in item improved/rectified? improved/rectified? improved/rectified? improved/rectified? improved/rectified? improved/rectified? improved/rectified?		Is the situation in itemimprove	d/rectified?				
Is the situation in item improved/rectified?	Is the situation in item improved/rectified? _		Is the situation in itemimprove	d/rectified?				
Is the situation in item improved/rectified? improved/rectified? improved/rectified? improved/rectified? improved/rectified? improved/rectified?	Is the situation in item improved/rectified? improved/rectified? improved/rectified? improved/rectified?		Is the situation in item improve	d/rectified?				
D. Is the situation in item improved/rectified? improved/rectified?	. Is the situation in item improved/rectified?		Is the situation in item improve	d/rectified?				
			Is the situation in item improve	d/rectified?				
demarks/Observations	emarks/Observations	0.	Is the situation in item improve	d/rectified?	一一百百	ī	一一	
		emar	ks/Observations					
		emar	ks/Observations					
		emar	ks/Observations					

Signatures: Contractor's Representative	Supervisor's Rep.	
(Name: Lau Siu Yeung (Date: 30/06/2025	(Name: (Date:)

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date:

30/6/2025

Tree/Plant/ Colony No.	Number of Individuals	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
C 0001	04	Brainea insignis	F	F	Young leaves observed
C-0001	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	P	Young leaves observed
C 0002	04	Brainea insignis	F	P	Young leaves observed
C-0002	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
C-0003	01	Brainea insignis	F	F	Young leaves observed
	01	2. amed mstams	-	-	Young leaves at base; Dry out
	01	Brainea insignis	P	P	caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
	09	Brainea insignis	P	P	Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	10	Brainea insignis	F	P	Young leaves at base
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	F	P	Young leaves observed
C-0004	13	Brainea insignis	-	-	Stem not found Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	14	Brainea insignis	F	F	Young leaves observed
	15	Brainea insignis	P	P	Young leaves at base; Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	16	Brainea insignis	P	P	Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	17	Brainea insignis	P	P	Young leaves observed
	18	Brainea insignis	-	-	Burned by bushfire initially outside the site boundary on 2 Feb 2021.
	19	Brainea insignis	F	P	-
	20	Brainea insignis	F	F	Young leaves observed

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date:

30/6/2025

Tree/Plant/ Colony No.	Number of Individuals	Species Name	Form (Good/Fair/Poor)	Health (Good/Fair/Poor)	Remark
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
C-0005	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	P	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
C-0006	01	Brainea insignis	F	F	Young leaves observed
C 0007	01	Brainea insignis	F	F	Young leaves observed
C-0007	02	Brainea insignis	F	P	-
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	P	P	Young leaves observed
C-0008	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	P	-
	07	Brainea insignis	F	P	Young leaves at base
C-0009	01	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
C-0010	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	P	P	Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	02	Brainea insignis	F	P	-
	03	Brainea insignis	P	P	Young leaves at base
	04	Brainea insignis	F	F	Young leaves at base
C-0011	05	Brainea insignis	F	P	Young leaves at base
C-0011	06	Brainea insignis	F	F	Young leaves at base
	07	Brainea insignis	P	P	Young leaves at base
	08	Brainea insignis	F	F	Young leaves observed
	09	Brainea insignis	P	P	-
	10	Brainea insignis	F	F	Young leaves observed
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	P	P	-
	13	Brainea insignis	F	F	Young leaves observed



C-0001(Patch)_01



C-0001(Patch)_02



C-0001(Patch)_03





C-0001(Patch)_05





C-0001(Patch)_07





C-0002(Patch)_01





C-0002(Patch)_03



C-0002(Patch)_04



C-0002(Patch)_05





C-0002(Patch)_07



C-0002(Patch)_08









C-0004(Patch)_03





C-0004(Patch)_05





C-0004(Patch)_07





C-0004(Patch)_09





C-0004(Patch)_11





C-0004(Patch)_13







C-0004(Patch)_16



C-0004(Patch)_17



C-0004(Patch)_18



C-0004(Patch)_19





C-0005(Patch)_01





C-0005(Patch)_03



C-0005(Patch)_04



C-0005(Patch)_05





C-0005(Patch)_07





C-0007(Patch)_01



C-0007(Patch)_02



C-0008(Patch)_01



C-0008(Patch)_02



C-0008(Patch)_03





C-0008(Patch)_05



C-0008(Patch)_06



C-0008(Patch)_07





C-0010(Patch)_01



C-0010(Patch)_02





C-0011(Patch)_01



C-0011(Patch)_02



C-0011(Patch)_03




C-0011(Patch)_04



C-0011(Patch)_05



C-0011(Patch)_06



C-0011(Patch)_07



C-0011(Patch)_08



C-0011(Patch)_09





C-0011(Patch)_11



C-0011(Patch)_12



C-0011(Patch)_13

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 30/6/2025

	1			
Tree/Plant/		Form	Health	D 1
Colony No.	Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	Remark
L-0001	Spiranthes sinensis	-	-	Not observed
L-0002	Spiranthes sinensis	-	-	Not observed
L-0003	Spiranthes sinensis	-	-	Not observed
L-0004	Spiranthes sinensis	-	-	Not observed
L-0005	Spiranthes sinensis	-	-	Not observed
L-0006	Spiranthes sinensis	-	-	Not observed
L-0007	Spiranthes sinensis	-	-	Not observed
L-0008	Spiranthes sinensis	F	F	Leaf observed
L-0009	Spiranthes sinensis	-	-	Not observed
L-0010	Spiranthes sinensis	-	-	Not observed
L-0011	Spiranthes sinensis	-	-	Not observed
L-0012	Spiranthes sinensis	-	-	Not observed
L-0013	Spiranthes sinensis	-	-	Not observed
L-0014	Spiranthes sinensis	P	P	Leaf observed
L-0015	Spiranthes sinensis	-	-	Not observed
L-0016	Spiranthes sinensis	-	-	Not observed
L-0018	Spiranthes sinensis	F	F	Leaf observed
L-0019	Spiranthes sinensis	-	-	Not observed
L-0020	Spiranthes sinensis	-	-	Not observed
L-0021	Spiranthes sinensis	-	-	Not observed
L-0022	Spiranthes sinensis	P	P	Leaf observed
L-0023	Spiranthes sinensis	-	-	Not observed
L-0024	Spiranthes sinensis	P	P	Leaf observed
L-0025	Spiranthes sinensis	-	-	Not observed
L-0026	Spiranthes sinensis	-	-	Not observed
L-0027	Spiranthes sinensis	-	-	Not observed
L-0028	Spiranthes sinensis	-	-	Not observed
L-0029	Spiranthes sinensis	-	-	Not observed
L-0030	Spiranthes sinensis	-	-	Not observed
L-0031	Spiranthes sinensis	F	F	Leaf observed
L-0032	Spiranthes sinensis	-	-	Not observed
L-0033	Spiranthes sinensis	-	-	Not observed
L-0034	Spiranthes sinensis	-	-	Not observed
L-0035	Spiranthes sinensis	-	-	Not observed
L-0036	Spiranthes sinensis	-	-	Not observed
L-0037	Spiranthes sinensis	F	F	Leaf observed
L-0038	Spiranthes sinensis	P	P	Leaf observed
L-0039	Spiranthes sinensis	-	-	Not observed
L-0040	Spiranthes sinensis	-	-	Not observed
L-0041	Spiranthes sinensis	-	-	Not observed
L-0042	Spiranthes sinensis	-	-	Not observed



L-0001



L-0002



L-0003



L-0004













L-0008







L-0010





L-0012















L-0019



L-0020



Contract No.: SS K509



L-0022



L-0023



L-0024



L-0025







L-0027



L-0028



L-0029



L-0030



L-0031







L-0033



L-0034



L-0035









L-0038



L-0039







L-0041



L-0042

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Hong Da Landscaping Limited

Vegetation Maintenance Record Sheet (June 2025)

Description of Work		Date																												
Description of Work	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Watering		Y		Y		Y			Y					Y		Y		Y		Y										
Weeding																													Y	Y
Fertilization																														
Pest/Disease Control																														
Firming up of fence																													Y	Y
Installation of shaded net																														
Mulching																														
Inspection																													Y	Y
Checking of Protection Zone																													Y	Y
Remarks	RH, R	RH, R	RH	RH, R	RH	RH	RH	RH	RH	RH	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH, R	RH	RH, R					
	Public Holiday H-Hot D-Drizzle R-Rainy W-Windy							indy		RH-H	ligh H	Humid	itv	MH-l	Mediu	m Hu	midity	,	LH-L	ow H	umidi	tv								



Check protection zone (1)



Check protection zone (2)



Inspection (1)





Inspection (3)

Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

Contract	Provision of Environmental Team		
	Consultancy for Design and Construction		
	of Kong Nga Po Police Training Facilities		
	(Programme no. 279LP)		
Inspected By	ET	Inspection Date	30-6-2025
Part A	Weather		
Condition	Sunny Fine Overcast Drizzle		
	Rain Hazy		
Wind	Calm Light Breeze Strong		
Willia	Odini Sicozo Sicong		
Part B		N/A or Yes	NO Remarks
1 Cv	rcadfern Brainea insignis	not observed	
-	•		
1.1	Is the general well-being of the plants deemed satisfactory?		
1.2	Are appropriate measures being taken to ensure the careful protection of the transplanted plants on site?		
1.3	Has the temporary protective fence been correctly installed and is it being properly maintained?		
1.4	Has the plant protection zone been established at a distance of 1m from the plants as required?		
1.5	Are all areas covered with grass and plants consistently maintained free from weeds and unwanted vegetation?		
1.6	Are measures taken to prevent soil compaction and protect the plants?		
1.7	Is prompt removal of litter and unwanted materials maintained in the planting area?		
1.8	Are fixings being prevented from being driven into the plants?		
1.9	Are the plants being intentionally avoided for the purpose of anchoring, winching, or displaying signs?		
1.10	Are all plants consistently maintained free from pests, diseases, or fungal infections?		
1.11	Is there sufficient space provided for the growth and development of plant roots?		
1.12a	Is the exposure of plant roots being prevented?		
1.12b	If not, are broken or rotting roots being avoided?		
2 La	dies Tresses Spiranthes sinensis		
2.1	Is the general well-being of the plants deemed satisfactory?		
2.2	Are appropriate measures being taken to ensure the careful protection of the transplanted plants on site?		
2.3	Has the temporary protective fence been correctly installed and is it being properly maintained?		
2.4	Has the plant protection zone been established at a distance of 1m from the plants as required?		
2.5	Are all areas covered with grass and plants consistently maintained free from weeds and unwanted vegetation?		
2.6	Are measures taken to prevent soil compaction and protect the plants?		
2.7	Is prompt removal of litter and unwanted materials maintained in the planting area?		
2.8	Are fixings being prevented from being driven into the plants?		
2.9	Are the plants being intentionally avoided for the purpose of anchoring, winching, or displaying signs?		
2.10	Are all plants consistently maintained free from pests, diseases, or fungal infections?		
2.11	Is there sufficient space provided for the growth and development of plant roots?		
2.12a	Is the exposure of plant roots being prevented?		
2 12h	If not are broken or retting roots being avoided?		

Advice/Observations


- 1) Please refer to the guidelines on soil improvement issued by the Greening, Landscape and Tree Management Section (GLTMS) of the development bureau (2022) to apply to monitoring and maintenance of transplanted flora species.
- 2) Daily watering frequency is needed to keep the soil moist.
- 3) Installation of a shaded net is provided below.
- 4) The wild plants that are growing in undesirable areas should be removed.
- 5) The Black Shade Net should be installed.





IEC	ET	Contractor Representative
Name: Mr. Law Date	Name: Mr. Chow Date 30/6/2025	Name: Marian Kong Date

The installation of a shaded net





Remark: Non scale & Conceptual drawing