APPENDIX H ECOLOGICAL MONITORING RESULTS

Post-transplantation monitoring records for transplanted flora species (August 2025)

Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works Report

INSPECTION DATE: 30 AUGUST 2025 REPORT DATE: 02 SEPTEMBER 2025

> PREPARED BY: Lau Siu Yeung, Andy (UKAA PR5206)

> > Version: 00

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

					Audit I	Ref. No		
Contra	SS K509							
Inspect	Lau Siu Yeung	Inspection Date Time Period	_		/2025 to 12			
Part A Conditi Tempe		Rain	St	orm	Hazy			
Humidity High (RH>90%) Moderate (90%>RH>50%) Low (RH<50%)								
Wind	Calm Light V Breeze Strong	or not observed	Yes	No	Follow-up	N/C	Remarks	
Part B								
1.	Cycadfern Brainea insignis		_					
1.1	Are the plants' health conditions satisfactory?						0	
1.2	Are transplanted plants on site protected carefully? Are the temporary protective fence properly erected and maintained?							
1.4	Are the plant protection zone set Im from the plants?		4					
1.5	Are all grassed and planted area kept free from weeds/unwanted plants?		1				9	
1.6	Is compaction of the soil avoided for the plants?		7	\Box	\Box			
1.7	Are litter/ unwanted material removed within the planting area?							
1.8	Are equipment or stockpile placed outside the protection zone?		1					
1.9	Are soil, debris or construction materials deposited around and against the trunk of a plant as this causes bark damage avoided?		\checkmark					
1.10	Are fixings driven into plants avoided?		\checkmark					
1.11	Are the plants used for anchoring or winching purposes or for the display of signs avoided?		\checkmark					
1.12	Are the fire lit below the branches and petrol, oil or caustic substances stored near the plants avoided?		\checkmark					
1.13	Are all plants kept free from pest, disease or fungal infection?		\checkmark					
1.14	Are there enough area for growth and development of plant roots?		\checkmark					
1.15a	Is exposure of plant roots avoided?		\checkmark					
1.15b	If not, were broken off or rotting of roots avoided?		I					
2.	N/A Ladies Tresses Spiranthes sinensis	or not observed	Yes	No	Follow-up	N/C	Remarks	
2.1	Are the plants' health conditions satisfactory?		\checkmark					
2.2	Are transplanted plants on site protected carefully?		\checkmark				a	
2.3	Are the temporary protective fence properly erected and maintained?		\checkmark					
2.4	Are the plant protection zone set 1m from the plants?		\checkmark				0	
2.5	Are all grassed and planted area kept free from weeds/unwanted plants?		\checkmark				D-	
2.6	Is compaction of the soil avoided for the plants?		\checkmark					
27	Are litter/unwanted material removed within the planting area?							

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
2.8	Are equipment or stockpile placed outside the protection zone?						
2.9	Are soil, debris or construction materials deposited around and against trunk of a plant as this causes bark damage avoided?	he	\checkmark				
2.10	Are fixings driven into plants avoided?		\checkmark				
2.11	Are the plants used for anchoring or winching purposes or for the displaying avoided?	y of	\checkmark				
2.12	Are the fire lit below the branches and petrol, oil or caustic substances s near the plants avoided?	stored	\checkmark				
2.13	Are all plants kept free from pest, disease or fungal infection?						
2.14	Are there enough area for growth and development of plant roots?	1 1	\triangleleft				
2.15a	Is exposure of plant roots avoided?						
2.15b	If not, were broken off or rotting of roots avoided?						
1	Incense Trees Aquilaria sinesis	N/A or not observed	Yes	No	Follow-up	N/C	Remarks
3.1	Are the trees's health conditions satisfactory?						
3.2	Are transplanted trees on site protected carefully?						
3.3	Are the temporary protective fence properly erected and maintained?						
3.4	Are the tree protection sone set 1m from the trees?						
3.5	Are all grassed and planted are, kept free from weeds/unwanted plants?						
3.6	Is compaction of the soil avoided for the trees						
3.7	Are litter/ unwanted material removed within the planting area?						
3.8	Are equipment or stockpile placed outside the protection zone?						
3.9	Are soil, debris or construction materials deposited around and against trunk of a tree as this causes bark damage avoided?	he					
3.10	Are fixings driven into trees avoided?						
3.11	Are the trees used for anchoring or winching purposes or for the display signs avoided?	of					
3.12	Are the fire lit below the branches and petrol, oil or caustic substances s near the trees avoided?	stored					
3.13	Are all trees kept free from pest, disease or fungal infection?						
3.14	Are there enough area for growth and development of tree roots?			V			
3.15a	Is exposure of tree roots avoided?						
3.15b	If not, were broken off or rotting of roots avoided?				T		
3.16	Are wounds/mechanical injuries avoided on tree trunk?					N	
3.17	Are leaning of trees avoided?						-
3.18	Are dead/detached branches avoided?						1
3 10	Are decay/cavity avoided on tree trunks?						1

Template of Post-transplantation Monitoring Checklist Design and Construction of Kong Nga Po Police Training Facilities

Is the situation in itemimproved/rectified?	Part C	Follow-up for the Previou	s Site Audit on Date:) ,	F.II. 37/6	Remarks
Is the situation in item improved/rectified?	1	Is the cituation in item	improved/rectified?	N/A or not observed	Yes No	Follow-up N/C	Kemarks
Is the situation in item improved/rectified?				H	$H \vdash$	1	
Is the situation in item improved/rectified?				H	$H \vdash$	 	
Is the situation in itemimproved/rectified?is the situation in itemimproved/rectified?inproved/rectified?improved/rectified?				H	$H \vdash$	 	-
Is the situation in itemimproved/rectified?is the situation in itemimproved/rectified?is the situation in itemimproved/rectified?is the situation in itemimproved/rectified?in the situation in itemimproved/rectified?				H	$H \vdash$	1	-
Is the situation in item improved/rectified?			. ,,,,,,	H	$H \vdash$	$\exists \ \exists \ \exists$	
Is the situation in item improved/rectified?				H	$H \vdash$		
D. Is the situation in item improved/rectified? improved/rectified? improved/rectified? improved/rectified? improved/rectified?	3.			H		1	
0. Is the situation in item improved/rectified? improved/rectified?			-	H	$H \vdash$; ; ;	-
				H			7
Remarks/Observations							-
	Remar	ks/Observations					

Signatures:		
Contractor's Republicative	Supervisor's Rep.	
(Name: Lau Siu Yeung) (Date: 30/08/2025	(Name: (Date:)
30/06/2025	(- 	

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 30/8/2025

Tree/Plant/	Number of	C N	Form	Health	D 1
Colony No.	Individuals	Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	Remark
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
C-0001	04	Brainea insignis	F	F	Young leaves observed
C-0001	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	P	Young leaves observed
G 0000	04	Brainea insignis	F	P	Young leaves observed
C-0002	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
C-0003	01		F	F	Young leaves observed
C-0003	01	Brainea insignis	Γ	Г	
		Brainea insignis			Young leaves at base; Dry ou
	01		P	P	caused by bushfire initially
					outside site boundary and hig
	02	D · · · ·	F		temperature on 2 Feb 2021
	02	Brainea insignis		F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
	08	Brainea insignis	F	F	Young leaves observed
					Dry out caused by bushfire
	09	Brainea insignis	P	P	initially outside site boundar
	09	Druinea insignis	l r	1	and high
					temperature on 2 Feb 2021
	10	Brainea insignis	F	P	Young leaves at base
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	F	P	Young leaves observed
C-0004					Stem not found
C-0004			-		Dry out caused by bushfire
	13	Brainea insignis		-	initially outside site boundar
					and high temperature on 2 Fe
					2021
	14	Brainea insignis	F	F	Young leaves observed
		Drumed margina	1		Young leaves at base; Dry or
				P	caused by bushfire initially
	15 Brainea insignis	Brainea insignis	P		outside site boundary and hig
				temperature on 2 Feb 2021	
					Dry out caused by bushfire
				Р	initially
	16	Brainea insignis	P		outside site boundary and hig
	17	Duging a in signi-	P	P	temperature on 2 Feb 2021
	17	Brainea insignis	r	r	Young leaves observed
	10	Duning a in air			Burned by bushfire initially
	18	Brainea insignis	1-7		outside the site boundary on
	10	D	Г	D	Feb 2021.
	19	Brainea insignis	F	P	- v - 1 1 1
	20	Brainea insignis	F	F	Young leaves observed

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 30/8/2025

Tree/Plant/	Number of	Species Name	Form	Health	Remark
Colony No.	Individuals	Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	Remark
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
C-0005	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	P	Young leaves observed
	06	Brainea insignis	F	F	Young leaves observed
	07	Brainea insignis	F	F	Young leaves observed
C-0006	01	Brainea insignis	F	F	Young leaves observed
C 0007	01	Brainea insignis	F	F	Young leaves observed
C-0007	02	Brainea insignis	F	P	-
	01	Brainea insignis	F	F	Young leaves observed
	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	P	P	Young leaves observed
C-0008	04	Brainea insignis	F	F	Young leaves observed
	05	Brainea insignis	F	F	Young leaves observed
	06	Brainea insignis	F	P	-
	07	Brainea insignis	F	P	Young leaves at base
C-0009	01	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	F	F	Young leaves observed
C-0010	02	Brainea insignis	F	F	Young leaves observed
	03	Brainea insignis	F	F	Young leaves observed
	01	Brainea insignis	P	P	Dry out caused by bushfire initially outside site boundary and high temperature on 2 Feb 2021
	02	Brainea insignis	F	P	-
	03	Brainea insignis	P	P	Young leaves at base
	04	Brainea insignis	F	F	Young leaves at base
C-0011	05	Brainea insignis	F	P	Young leaves at base
C-0011	06	Brainea insignis	F	F	Young leaves at base
	07	Brainea insignis	P	P	Young leaves at base
	08	Brainea insignis	F	F	Young leaves observed
	09	Brainea insignis	P	P	-
	10	Brainea insignis	F	F	Young leaves observed
	11	Brainea insignis	F	F	Young leaves observed
	12	Brainea insignis	P	P	-
	13	Brainea insignis	F	F	Young leaves observed



C-0001(Patch)_01





C-0001(Patch)_03





C-0001(Patch)_05



C-0001(Patch)_06



C-0001(Patch)_07





C-0002(Patch)_01





C-0002(Patch)_03





C-0002(Patch)_05



C-0002(Patch)_06



C-0002(Patch)_07



C-0002(Patch)_08





C-0004(Patch)_01



Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest



C-0004(Patch)_03



Contract No.: SS K509 Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest



C-0004(Patch)_05





C-0004(Patch)_07



C-0004(Patch)_08



C-0004(Patch)_09



C-0004(Patch)_10



C-0004(Patch)_11



C-0004(Patch)_12



C-0004(Patch)_13



C-0004(Patch)_14



C-0004(Patch)_15



C-0004(Patch)_16



C-0004(Patch)_17





C-0004(Patch)_19



C-0004(Patch)_20



C-0005(Patch)_01





C-0005(Patch)_03



C-0005(Patch)_04



C-0005(Patch)_05



C-0005(Patch)_06



C-0005(Patch)_07



C-0006



C-0007(Patch)_01





C-0008(Patch)_01



C-0008(Patch)_02



C-0008(Patch)_03





C-0008(Patch)_05



C-0008(Patch)_06



C-0008(Patch)_07



C-0009



C-0010(Patch)_01



C-0010(Patch)_02



C-0010(Patch)_03



C-0011(Patch)_01





C-0011(Patch)_03



C-0011(Patch)_04



C-0011(Patch)_05



C-0011(Patch)_06



C-0011(Patch)_07



C-0011(Patch)_08



C-0011(Patch)_09



C-0011(Patch)_10



C-0011(Patch)_11





C-0011(Patch)_13

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Inspection Date: 30/8/2025

	I	1		
Tree/Plant/		Form	Health	D 1
Colony No.	Species Name	(Good/Fair/Poor)	(Good/Fair/Poor)	Remark
L-0001	Spiranthes sinensis	×-	- /	Not observed
L-0002	Spiranthes sinensis	×-		Not observed
L-0003	Spiranthes sinensis			Not observed
L-0004	Spiranthes sinensis	n =	- :	Not observed
L-0005	Spiranthes sinensis	o = .		Not observed
L-0006	Spiranthes sinensis	-		Not observed
L-0007	Spiranthes sinensis	п-		Not observed
L-0008	Spiranthes sinensis	F	F	Leaf observed
L-0009	Spiranthes sinensis	×-	- 7	Not observed
L-0010	Spiranthes sinensis	8 -	- 1	Not observed
L-0011	Spiranthes sinensis	a -		Not observed
L-0012	Spiranthes sinensis	s -	- 1	Not observed
L-0013	Spiranthes sinensis	« -	- 7	Not observed
L-0014	Spiranthes sinensis	P	P	Leaf observed
L-0015	Spiranthes sinensis	п=		Not observed
L-0016	Spiranthes sinensis	a -	- 1	Not observed
L-0018	Spiranthes sinensis	F	F	Leaf observed
L-0019	Spiranthes sinensis	×-	- >	Not observed
L-0020	Spiranthes sinensis	×-		Not observed
L-0021	Spiranthes sinensis	a -	_	Not observed
L-0022	Spiranthes sinensis	P	P	Leaf observed
L-0023	Spiranthes sinensis	2 -	-	Not observed
L-0024	Spiranthes sinensis	P	P	Leaf observed
L-0025	Spiranthes sinensis	-	-	Not observed
L-0026	Spiranthes sinensis	u -	-	Not observed
L-0027	Spiranthes sinensis	×-	_ ,	Not observed
L-0028	Spiranthes sinensis	×-	-	Not observed
L-0029	Spiranthes sinensis	-	_	Not observed
L-0030	Spiranthes sinensis	≈-		Not observed
L-0031	Spiranthes sinensis	F	F	Leaf observed
L-0032	Spiranthes sinensis	-	-	Not observed
L-0033	Spiranthes sinensis	v-		Not observed
L-0034	Spiranthes sinensis	z=.		Not observed
L-0035	Spiranthes sinensis	=		Not observed
L-0036	Spiranthes sinensis	×-	_	Not observed
L-0037	Spiranthes sinensis	F	F	Leaf observed
L-0038	Spiranthes sinensis	P	P	Leaf observed
L-0039	Spiranthes sinensis	-	- 1	Not observed
L-0040	Spiranthes sinensis	s -		Not observed
L-0041	Spiranthes sinensis	v -		Not observed
L-0042	Spiranthes sinensis		_	Not observed

Contract No.: SS K509



L-0001



L-0002



L-0003





L-0005



L-0006



L-0007



L-0008



L-0009



L-0010



L-0011





L-0013



L-0014



L-0015



L-0016



L-0018



L-0019



L-0020



L-0021



L-0022



L-0023



L-0024



L-0025



L-0026



L-0027



L-0028



L-0029







L-0031



L-0032



L-0033







L-0035



L-0036



L-0037



L-0038



L-0039



L-0040



L-0041



L-0042

Contract No.: SS K509

Design and Construction of Kong Nga Po Police Training Facilities

Monitoring and Maintenance Works for Flora Species of Conservation Interest

Hong Da Landscaping Limited

Vegetation Maintenance Record Sheet (August 2025)

Description of Work		Date																													
Description of work	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Watering							Y		Y	Y	Y		Y			Y				Y		Y			Y		Y		Y		
Weeding										Y																					
Fertilization										Y																					
Pest/Disease Control																															
Firming up of fence										Y																					
Installation of shaded net										Y																					
Mulching										Y																					
Inspection										Y																				Y	
Checking of Protection Zone										Y																					
Remarks	R, MH	R, MH	R, MH	R, MH	R, RH	R, MH	МН	МН	МН	МН	R, MH	R, MH	МН	R, RH	R, MH	МН	R, MH	R, RH	R, RH	МН	МН	МН	МН	МН	МН	МН	МН	МН	R, MH	R, MH	МН
	Public Holiday H-Hot D-Drizzle				izzle		R-Rainy W-Windy 1							RH-High Humidity MH-Medium Humidity						LH-Low Humidity											



fertilzing (1)






grass cutting (1)





installation of shading net (1)





installation of shading net (3)



Post-transplantation Monitoring Checklist Police Facilities in Kong Nga Po

Contract	Provision of Environmental Team		_
	Consultancy for Design and Construction		
	of Kong Nga Po Police Training Facilities (Programme no. 279LP)		
	(1 regramme no. 27 oz.)		00 0 0005
Inspected E	By ETL	Inspection Date _	29-8-2025
Part A	Weather		
Condition	Sunny Fine Overcast Drizzle Rain Hazy		
Wind	Calm Light Breeze Strong		
Part B		N/A or Yes not observed	NO Remarks
1 (Cycadfern Brainea insignis		The partial <i>Bra</i> insignis have o
	•		taller than prev
1.1 1.2	Is the general well-being of the plants deemed satisfactory?		observed
	Are appropriate measures being taken to ensure the careful protection of the transplanted plants on site?		
1.3	Has the temporary protective fence been correctly installed and is it being properly maintained?		
1.4	Has the plant protection zone been established at a distance of 1m from the plants as required?		
1.5	Are all areas covered with grass and plants consistently maintained free from weeds and unwanted vegetation?		
1.6	Are measures taken to prevent soil compaction and protect the plants?		
1.7	Is prompt removal of litter and unwanted materials maintained in the planting area?		
1.8	Are fixings being prevented from being driven into the plants?		
1.9	Are the plants being intentionally avoided for the purpose of anchoring, winching, or displaying signs?		
1.10	Are all plants consistently maintained free from pests, diseases, or fungal infections?		
1.11	Is there sufficient space provided for the growth and development of plant roots?		
1.12a	Is the exposure of plant roots being prevented?		
1.12b	If not, are broken or rotting roots being avoided?		
2 L	_adies Tresses Spiranthes sinensis		
2.1	Is the general well-being of the plants deemed satisfactory?		
2.2	Are appropriate measures being taken to ensure the careful protection of the transplanted plants on site?		
2.3	Has the temporary protective fence been correctly installed and is it being properly maintained?		
2.4	Has the plant protection zone been established at a distance of 1m from the plants as required?		
2.5	Are all areas covered with grass and plants consistently maintained free from weeds and unwanted vegetation?		
2.6	Are measures taken to prevent soil compaction and protect the plants?		
2.7	Is prompt removal of litter and unwanted materials maintained in the planting area?		
2.8	Are fixings being prevented from being driven into the plants?		
2.9	Are the plants being intentionally avoided for the purpose of anchoring, winching, or displaying signs?		
2.10	Are all plants consistently maintained free from pests, diseases, or fungal infections?		
2.10	Is there sufficient space provided for the growth and development of plant roots?		
2.12a	Is the exposure of plant roots being prevented?		
2.12b	If not, are broken or rotting roots being avoided?		
۷.۱۷۵	ii noi, are proken or roung roots being avolueu!		1 1

Advice/Observations


- 1) Please refer to the guidelines on soil improvement issued by the Greening, Landscape and Tree Management Section (GLTMS) of the development bureau (2022) to apply to monitoring and maintenance of transplanted flora species.
- 2) Daily watering frequency is needed to keep the soil moist.
- 3) The installation of a shaded net is shown as a sample below





IEC	ETL	Contractor Representative					
Name: Mr. Law Date	Name: Mr. W.H.Lee Date 29-08-2025	Name: Marian Kong Date					

The installation of a shaded net





Remark: Non scale & Conceptual drawing